



# Hearth Appliances and Gas Logs

*Reference Guide*

*May 15, 2023*

# Table of Contents

## Wood Inserts

	<b>Page</b>
Timberwolf® EPI22-1	<b>3</b>
Timberwolf® T20I	<b>3</b>
Timberwolf® T25I	<b>4</b>
Timberwolf® TI3T-1, TI3TN-1, and TI3C-1	<b>4</b>
Ventis® HEI170	<b>5</b>
Ventis® HEI240	<b>5</b>
Ventis® HEI350	<b>6</b>

## Wood Stoves

Timberwolf® 2100-1	<b>7</b>
Timberwolf® 2200-1	<b>7</b>
Timberwolf® T20	<b>8</b>
Timberwolf® T25	<b>8</b>
Ventis® HES140	<b>9</b>
Ventis® HES170	<b>9</b>
Ventis® HES240	<b>10</b>
Ventis® HES350	<b>10</b>

## Wood Fireplaces

Timberwolf® TZ3000H	<b>11</b>
Ventis® HE250R	<b>12</b>
Ventis® HE275CF	<b>12</b>
Ventis® HE325	<b>13</b>
Ventis® HE350	<b>13</b>
Ventis® ME300	<b>14</b>
Ventis® 36" & 42" Forever Fireplace	<b>14</b>

## Gas Inserts

Timberwolf® TDI3N	<b>15</b>
Timberwolf® TDI3GN	<b>16</b>
Timberwolf® TDIX3N	<b>17</b>

## Gas Venting

Gas Insert, Gas Stove and Gas Fireplace	<b>18</b>
Flex Liners and Venting Adapters	<b>18</b>

## Gas Stoves

Timberwolf® TDS50	<b>19</b>
Timberwolf® TDS28	<b>19</b>
Timberwolf® TDS60	<b>20</b>
Timberwolf® TDS20	<b>20</b>

## Gas Fireplaces

Timberwolf® TB36NTR & TB36NTRE	<b>21</b>
Timberwolf® TB42NTR & TB42NTRE	<b>22</b>

## Electric Fireplaces - Built-in

	<b>Page</b>
Napoleon CLEARion™ See-Thru lace NEFBD50HE, NEFBD60HE	<b>23</b>
Napoleon Trivista™ NEFB50H-3SV, NEFB60H-3SV	<b>23</b>
Napoleon Element™ 36 NEFB36H-BS	<b>24</b>
Napoleon Element™ 42 NEFB42H-BS	<b>24</b>
Napoleon Cineview™ NEFB26H, NEFB30H	<b>25</b>

## Electric Fireplaces - Wall Hanging

Napoleon Stylus™ NEFP32-5019W, NEFP32-5320BW, NEFP32-5019W-IOT	<b>26</b>
Napoleon Alluravision™ Deep Series NEFL42CHD-1, NEFL50CHD-1 NEFL60CHD-1, NEFL74CHD-1, NEFL100CHD-1	<b>26</b>
Napoleon Alluravision™ Slimline Series NEFL42CHS-1, NEFL50CHS-1, NEFL60CHS-1, NEFL74CHS-1	<b>27</b>
Napoleon Entice™ NEFL36CFH, NEFL42CFH, NEFL50CFH, NEFL60CFH, NEFL72CFH	<b>27</b>
Napoleon Allure™ Vertical NEFVC32H, NEFVC38H	<b>28</b>

## Electric Logs

Napoleon Woodland™ Series NEFI18H, NEFI24H, NEFI27H	<b>28</b>
---	-----------

## Modern Flame Electric Fireplaces

Orion® Multi Series	<b>29</b>
Orion® Slim Series	<b>30</b>
Orion® Traditional Series	<b>31</b>
Orion® Traditional Series - Inserts	<b>32</b>
Landscape Pro™ Multit Series	<b>33</b>
Landscape Pro™ Slim Line Series	<b>33</b>
Spectrum Series Slim Line	<b>34</b>
Challenger Series	<b>34</b>
Redstone™ Series Built in	<b>35</b>
Redstone™ Series -Inserts	<b>36</b>

## Vented Gas Logs

Ventis® Vented Gas Logs and Accessories	<b>37 - 38</b>
Hargrove® Vented Gas Logs and Accessories	<b>39 - 44</b>
Napoleon® Vented Gas Logs and Accessories	<b>47</b>
Grand Canyon® Vented Gas Logs and Accessories	<b>48 - 51</b>
Grand Canyon® Contemporary Burners and Accessories	<b>53</b>

## Vent Free Gas Logs

Ventis® Vent Free Gas Logs and Accessories	<b>37 - 38</b>
Hargrove® Vent Free Gas Logs and Accessories	<b>45 - 46</b>
Napoleon® Vent Free Gas Logs and Accessories	<b>47</b>
Grand Canyon® Vent Free Gas Logs and Accessories	<b>52</b>

## Universal Remotes, Valve & Blowers

Skytech Products	<b>54 - 57</b>
------------------	----------------

# Timberwolf® Wood Inserts



- EPI22-1 - 1.9 cu. Ft. firebox heats up to 2,000 sq. Ft. at 65,000 BTU's
- 6" flue for economical installations
- 16" log size
- EPI22-1 2.25 g/hr. emissions
- Burn time - 8 hrs.
- 72% optimum efficiency
- Blower Included
- California Customer See Warning Below

Transform your masonry fireplace into an efficient, clean burning and cost-effective heating source with Timberwolf's EPI22 Wood Burning Insert. The large firebox design accommodates 16" logs and allows for a long eight hour burn time.

## Timberwolf® EPI22-1 Economizer™ Wood Insert



Item #	Part #	Description
Choose Your Insert		
03607036	EPI22-1	EPI22-1 wood insert with blower and surround

*Product Note: Minimum fireplace opening 25 7 /8"w x 22"h x 14"d*



- T20I - 1.9 cu. Ft. firebox heats up to 1800 sq. Ft. at 65,000 BTU's
- 6" flue for economical installations
- 16" log size for the T20I wood insert
- T20I 2.25 g/hr. emissions
- Burn time - 8 hrs.
- 72% optimum efficiency
- Blower Included
- California Customer See Warning Below

A clean and contemporary insert with extremely long burn times ensure you can watch the fire for pleasure instead of babysitting the fire for reloading. An included blower kit quietly circulates heat throughout the space.

## Timberwolf® T20I Wood Insert



Item #	Part #	Description
Choose Your Insert		
03607112	T20I	Small Wood Burning Insert with blower
<i>Product Note: Minimum fireplace opening 25 7 /8"w x 22"h x 14"d</i>		
Choose Backer Plate (Required)		
03607039	SCH1B3041	Backer Plate



- T25I 2.5 cu. Ft. firebox heats up to 1800 sq. Ft. at 70,000 BTU's
- 6" flue for economical installations
- 23" log size for the T25I wood insert
- 1.3 g/hr. emissions
- Burn time - 8 hrs.
- 76% optimum efficiency
- Blower Included
- California Customer See Warning Below



A clean burning technology with low emissions and high efficiency, ensuring comfort and peace of mind. A contemporary look blends in to any decor, and cast construction ensures reliability for years to come.

## Timberwolf® T25I Wood Insert

Item #	Part #	Description
<b>Choose Your Insert</b>		
03607113	T25I	Timberwolf Medium Wood Burning Insert w blower
<i>Product Note: Minimum fireplace opening 31" w x 23 1/2" h x 15 1/2" d</i>		
<b>Choose Backer Plate (Required)</b>		
03607703	SBP25I3041	Standard Backer Plate 31" x 41"
03607704	SBP25I3348	Large Backer Plate 33" x 48"



TI3T-1 - Traditional Fireplace Insert



TI3TN-1 - Traditional Fireplace Insert, Majolica Brown



TI3C-1 Contemporary Fireplace Insert

- TI3 inserts - 1.8 cu. Ft. firebox heats up to 1,500 sq. Ft. at 55,000 BTU's
- 6" flue for economical installations
- 18" log size
- 1.21 g/hr. emissions
- Burn time - 8 hrs.
- 71.6% optimum efficiency
- California Customer See Warning Below

The TI3-1 inserts will match any décor whether it be traditional or contemporary. Four stainless steel secondary air tubes supercharge the fuel burning process. A log retainer and a heat circulating blower, make it a perfect solution for your home or cottage.

## Timberwolf® TI3T-I, TI3TN-1, & TI3C-1 Wood Inserts

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607115	TI3T-1	Wood insert includes surround, door & blower
<i>Product Note: Minimum fireplace opening 28" w x 22" h x 18" d</i>		
03607116	TI3TN-1	Wood insert includes surround, door & blower
<i>Product Note: Minimum fireplace opening 28" w x 22" h x 18" d</i>		
03607114	TI3C-1	Wood insert includes surround, door & blower
<i>Product Note: Minimum fireplace opening 28" w x 22" h x 16" d</i>		
<b>Additional Options</b>		
00298974	BP3	Backer Plate (for between Surround and wall)
<i>Product Note: Backer Plate 49" w x 32 1/8" h</i>		





# Ventis® Wood Inserts



- HEI170 1.9 cu. Ft. firebox heats up to 1,800 sq. Ft. at 65,000 BTU's
- 6" flue for economical installations
- 18" log size
- 1.26 g/hr. emissions
- Burn time - 6 hrs.
- 78% optimum efficiency
- Blower Included
- California Customer See Warning Below

The HEI170 insert is suitable for smaller spaces. This unit features non-catalytic combustion technology and will heat up to 1800 sq. ft. The unit includes a blower and two choices of surrounds. The fire screen option allows you to enjoy an open fire.

## Ventis® HEI170 Wood Insert

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607602	VB00014	Ventis HEI170 wood insert with blower
<b>Product Note: Minimum fireplace opening 27 1/2"w x 21 1/2"h x 12 3/4"d</b>		
<b>Choose Backer Plate (Required)</b>		
03607593	VBA1555	Regular faceplate (29" x 44")
03607591	VBA1556	Large faceplate (34" x 50")
<b>Additional Options</b>		
03606719	AC01370	Offset liner adapter
03607589	AC02006	Hook-up liner adapter
03603888	AC01336	5" fresh air intake Control
03607596	AC01299	Rigid fire screen



- HEI240 2.4 cu. Ft. firebox heats up to 2100 sq. Ft. at 70,000 BTU's
- 6" flue for economical installations
- 23" log size
- 1.54 g/hr. emissions
- Burn time - 8 hrs.
- 77% optimum efficiency
- Blower Included
- California Customer See Warning Below

The HEI240 insert is suitable for larger spaces. This unit features non-catalytic combustion technology and will heat up to 2100 sq. ft. The unit includes a blower and two choices of surrounds. The fire screen option allows you to enjoy an open fire.

## Ventis® HEI240 Wood Insert

Item #	Part #	Description
<b>Choose Your Stove</b>		
03606718	VB00012	Ventis HEI240 wood insert with blower
<b>Product Note: Minimum fireplace opening 28 7/8"w x 23 3/8" h x 15 2/4" d</b>		
<b>Choose Backer Plate (Required)</b>		
03607594	VBA1550	Regular faceplate (29" x 44")
03607592	VBA1551	Large faceplate (34" x 50")
<b>Additional Options</b>		
03607606	AC01298	5" fresh air intake kit
03607597	AC01315	Rigid fire screen
03606719	AC01370	Offset liner adapter
03607589	AC02006	Hook-up liner adapter





- HEI350 3.5 cu. Ft. firebox heats up to 2700 sq. Ft. at 110,000 BTU's
- 6" flue for economical installations
- 23" log size
- 1.32 g/hr. emissions
- Burn time - 10 hrs.
- 77% optimum efficiency
- Blower Included
- California Customer See Warning Below

The HEI350 insert is designed to accommodate very large rooms. This unit features non-catalytic combustion technology and will heat up to 2700 sq. ft. The unit includes a blower and two choices of surrounds. The fire screen option allows you to enjoy an open fire.

## Ventis® HEI350 Wood Insert

Item #	Part #	Description
<b>Choose your wood insert</b>		
03607828	VB00021	Ventis HEI350 wood insert with blower
<b>Product Note: Minimum fireplace opening 24 1/4" h x 31" w x 18 3/8" d</b>		
<b>Choose your faceplate (Required)</b>		
03607829	VBA1557	Regular faceplate (32" X 44")
03607830	VBA1558	Large faceplate (32" X 50")
<b>Additional Options</b>		
03607606	AC01298	5" fresh air intake kit
03607827	AC01281	Rigid fire screen
03607831	AC01370	Offset liner adapter
03607589	AC02006	Hook-up liner adapter



# Timberwolf® Wood Stoves



- 2100-1 - 1.5 cu. Ft. firebox heats up to 1,500 sq. Ft. at 45,000 BTU's
- 6" flue for economical installations
- 16" log size
- 1.57 g/hr. emissions
- Burn time - 6 hrs.
- 71.1% Optimum efficiency
- Optional blower
- California Customer See Warning Below

This Wood Stove provides an economical solution to rising costs of home heating. This clean burning, cost effective stove delivers the reliable heat you need. Features outstanding efficiency, a solid cast iron arched door and an impressive viewing area.

## Timberwolf® Economizer™ 2100-1 Wood Stove

Item #	Part #	Description
Choose Your Stove Body		
03607034	2100-1	Timberwolf 2100-1 Small Wood Stove
Choose a Pedestal or Leg Kit to Complete the Unit (Required)		
00106542	EP20P	Pedestal Kit fits 2100
00106546	EP21L	Leg Kit for 2100
Additional Options		
00106544	EP20PAD	Ash Pan Kit for EP20P Pedestal
00106540	EP20LAD	Ash Pan Kit for EP21L
00106557	EPT70	Blower Kit with Variable Speed and T'stat Control



- 2200 1.5 cu. Ft firebox heats up to 2,000 sq. Ft. at 65,000 BTU's
- 6" flue for economical installations
- 16" log size for both the 2100-1 and 2200-1 units
- 2.25 g/hr. emissions
- Burn time - 8 hrs.
- 72% Optimum efficiency
- Optional blower
- California Customer See Warning Below

The same features as the 2100 but with larger firebox and BTU's. This clean burning, cost effective stove delivers the reliable heat you need. Features outstanding efficiency, a solid cast iron arched door and an impressive viewing area. This unit is available with legs or a pedestal along with an optional ash pan and blower.

## Timberwolf® Economizer™ 2100/2200

Item #	Part #	Description
Choose Your Stove Body		
03607035	2200-1	Timberwolf 2200-1 Medium Wood Stove
Choose a Pedestal or Leg Kit to Complete the Unit (Required)		
00106542	EP20P	Pedestal Kit fits 2200
00106548	EP22L	Leg Kit for 2200
Additional Options		
00106544	EP20PAD	Ash Pan Kit for EP20P Pedestal
00106540	EP20LAD	Ash Pan Kit for EP22L Legs
00106557	EPT70	Blower Kit with Variable Speed and T'stat Control





- T20 1.9 cu. Ft. firebox heats up to 1,800 sq. Ft. at 65,000 BTU's
- 6" flue for economical installations
- 16" log size
- 1.8 g/hr. emissions
- Burn time - 8 hrs.
- Optional blower
- 72% Optimum efficiency
- California Customer See Warning Below

The T-Series are EPA approved wood burning stoves comes complete with a modern cast iron door and pedestal base in a metallic charcoal finish. The T-Series features a kitchen style "Easy Glide" pull out ash drawer with a removable ash pan and lid. The "Secure Lock" lever action door handle (with a removable handle shield) remains in a convenient up position when the door is open, making cleaning and refueling safe and easy. The T20 will heat up to 1,800 sq. ft.

## Timberwolf® T20 Wood Stove

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607109	T20	Wood stove with cast iron doors-charcoal finish
<b>Additional Options</b>		
03607141	RCHS20	Reduced Clearance Shield
03607029	ADS20	Ash Disposal Kit
03607030	NEP70	Blower Kit with Variable Speed and T'stat Control
COP16656	111KT	Outside Air Kit - 4 ft insulated flex (pipe 4" dia)



- T25 2.4 cu. Ft firebox heats up to 2,100 sq. Ft. at 75,000 BTU's
- 6" flue for economical installations
- 17" log size
- 2.5 g/hr. emissions
- Burn time - 16 hrs.
- Optional blower
- 76% Optimum efficiency
- California Customer See Warning Below

The T-Series are EPA approved wood burning stoves come complete with a modern cast iron door and pedestal base in a metallic charcoal finish. The T-Series features a kitchen style "Easy Glide" pull out ash drawer with a removable ash pan and lid. The "Secure Lock" lever action door handle (with a removable handle shield) remains in a convenient up position when the door is open, making cleaning and refueling safe and easy. The T25 will heat up to 2,100 sq. ft.

## Timberwolf® T25 Wood Stove

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607110	T25	Wood stove with cast iron doors-charcoal finish
<b>Additional Options</b>		
03607706	ADS2530	Ash Disposal Kit for T25
03607030	NEP70	Blower Kit with Variable Speed & T'stat Control
COP16656	111KT	Outside Air Kit - 4 ft insulated flex (pipe 4" dia)





# Ventis® Wood Stoves



- HES140 1.4 cu. Ft. firebox heats up to 1,200 sq. Ft. at 45,000 BTU's
- Standard pedestal model (No Ash Pan)
- 6" flue for economical installations
- 17" log size
- 1.8 g/hr. emissions
- Burn time - 5 hours
- 78% optimum efficiency
- Optional blower
- Mobile home approved
- California Customer See Warning Below

The HES140 is an economical wood stove designed to heat a small space of up to 1,200 sq. ft. Although it does not include an ash pan there is an optional blower. An optional fire screen provides the enjoyment of an open fire.

## Ventis® HES140 Wood Stove

Item #	Part #	Description
Choose Your Stove		
03607823	VB00023	Ventis HES140 wood stove - no ash pan
Additional Options		
03608288	AC02023	Blower w/ variable speed control/ thermodisc
03607825	AC01420	Rigid fire screen
03603888	AC01336	5" fresh air intake kit



- HES170 1.9 cu. Ft. firebox heats up to 1,800 sq. Ft. at 65,000 BTU's
- Standard pedestal model with ash pan
- 6" flue for economical installations
- 18" log size
- 1.26 g/hr. emissions
- Burn time - 8 hours
- 78% optimum efficiency
- Optional blower
- Mobile home approved
- California Customer See Warning Below

The HES170 wood stove is suitable for smaller spaces. This unit features non-catalytic combustion technology and will heat up to 1,800 sq. ft. There is an optional blower available. The fire screen option provides the enjoyment of an open fire.

## Ventis® HES170 Wood Stove

Item #	Part #	Description
Choose Your Stove		
03607603	VB00013	Ventis HES170 wood stove
Additional Options		
03607585	AC01000	Blower with variable speed control
03607596	AC01299	Rigid fire screen
03603888	AC01336	5" fresh air intake kit





- HES240 2.4 cu. Ft. firebox heats up to 1,800 sq. Ft. at 65,000 BTU's
- Standard pedestal model with ash pan
- 6" flue for economical installations
- 20" log size
- 1.26 g/hr. emissions
- Burn time - 8 hours
- 77% optimum efficiency
- Optional blower
- Mobile home approved
- California Customer See Warning Below

The HES240 wood stove is suitable for larger spaces. This unit features non-catalytic combustion technology and will heat up to 1,800 sq. ft. There is an optional blower available. The fire screen option provides the enjoyment of an open fire.



## Ventis® HES240 Wood Stove

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607604	VB00016	Ventis HES240 wood stove
<b>Additional Options</b>		
03607585	AC01000	Blower with variable speed control
03607597	AC01315	Rigid fire screen
03603888	AC01336	5" fresh air intake kit



- HES350 3.5 cu. Ft. firebox heats up to 2,700 sq. Ft. at 110,000 BTU's
- Standard pedestal model with ash pan
- 6" flue for economical installations
- 22" log size
- 77% optimum efficiency
- Optional blower
- Mobile home approved
- California Customer See Warning Below

The HES350 wood stove is designed to accommodate a very large room. This unit features non-catalytic combustion technology and will heat up to 2,700 sq. ft. The unit has a blower option for additional heat circulation. The fire screen option allows you to enjoy an open fire.

## Ventis® HES350 Wood Stove

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607826	VB00020	Ventis HES350 wood stove
<b>Additional Options</b>		
03607585	AC01000	Blower with variable speed control
03607827	AC01281	Rigid fire screen
03603888	AC01336	5" fresh air intake kit



# Timberwolf® Wood Fireplace



- 2.3 cu. Ft. firebox heats up to 3000 sq. Ft. at 60,000 BTU's
- Fully refractory-lined firebox
- 2020 EPA Certified
- 7" flue for economical installations
- 25" log size
- Optional blower
- 1.38 g/hr. emissions
- Burn time - 5 hours
- 68% optimum efficiency
- California Customer See Warning Below

The Timberwolf™ TZ3000H achieves lowest emissions possible while still maintaining its heat. Easily increase the airflow through the unit to aid in starting a fire or when reloading fuel. A digital catalyst temperature monitor allows the operator to ensure their fireplace is always within the optimal temperature range to provide the lowest emissions possible, while the improved air wash system allows glass doors to stay cleaner. Add the luxury of a wood-burning fireplace to your home while remaining eco-conscious.

## Timberwolf® TZ3000H Wood Fireplace

Item #	Part #	Description
<b>Choose fireplace</b>		
03607117	TZ3000H	EPA Certified wood fireplace
<b>Choose a door kit to complete unit (Required)</b>		
00123101	H336-K	Arched Cast Iron double doors, painted black
03575896	H336H-WI	Arched Cast Iron double doors - Painted Wrought Iron
<b>Choose a surround to complete unit (Required)</b>		
03575897	FPWI3-H	Faceplate arched complete with grills & keystones
03575898	FPK3-H	Faceplate arched - MUST ORDER INSET TO COMPLETE (FPHK-H or FPMK-H)
<b>Choose inset to complete unit (Required)</b>		
03575899	FPHK-H	Inset - Heritage pattern, painted black
<b>Additional Options</b>		
COP16991	GA65	6" x 10" air circulation vent and collar for use with NZ64 blower
COP16867	NZ64	Air circulating blower system with decorative grill & washable filter for circulation of either interior or outside fresh air. (Safety door switch and heat activated thermal switch is included with unit) NOTE: NZ620-KT Required to complete blower attachment
COP16456	W175-0002	8" coupler
COP16450	W010-0067	Flexible vent support assembly (for central heating systems)
COP17090	NZ620-KT	6" x 10' outside combustion air or blower extension kit, includes coupler and hardware
COP16656	111KT	Outside Air Kit - 4 ft insulated flex (pipe 4" dia)



H336-K



H336H-WI



# Ventis® Wood Fireplaces



- 2.5 cu. Ft. firebox heats up to 2200 sq. Ft. at 80,000 BTU's
- Fully refractory-lined firebox
- 2020 EPA Certified
- 6" flue for economical installations
- 20" log size
- Blower included
- 1.14 g/hr. emissions
- Burn time - 8 hours
- 74% optimum efficiency
- California Customer See Warning Below

The HE250R was designed for heating. It features non-catalytic technology for a clean burn and heats up to 2,200 sq. ft. The unit includes a blower for additional heat circulation. The fire screen option allows you to enjoy an open fire.

## Ventis® HE250R Wood Fireplace

Item #	Part #	Description
<b>Choose fireplace</b>		
03607605	VB00015	Ventis HE250R ZC wood fireplace with blower
<b>Choose faceplate to complete unit (Required)</b>		
03606714	VBA1560	Modern style faceplate
<b>Additional Options</b>		
03607588	AC01223	Heatshield for surround/shelf
03607581	AC01275	Fire Screen
03607607	AC01347	4" fresh air intake adapter
03607550	AC01375	Hot air gravity kit - traditional
03607587	AC09200	Fireplace carrying handle kit
03602578	AC01350	25' insulated flex pipe (6" dia.)
03607546	AC01374	Forced Air Kit



The HE275CF is a unique clean face modern designed unit. It features non-catalytic technology for a clean burn and heats up to 2,200 sq. ft. A choice of modern or traditional look hot air gravity kit are required for this unit. Hot air can be introduced into another room. This unit include a fire screen door option to allow the enjoyment of and open fire.

- 2.5 cu. Ft. firebox heats up to 2200 sq. Ft. at 80,000 BTU's
- Fully refractory-lined firebox
- 2020 EPA Certified
- 6" flue for economical installations
- 20" log size
- Blower included
- 1.14 g/hr. emissions
- Burn time - 8 hours
- 74% optimum efficiency
- California Customer See Warning Below



## Ventis® HE275CF Wood Fireplace

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607600	VB00017	Ventis HE275CF ZC wood fireplace
<b>Choose a Gravity Kit to complete unit (Required)</b>		
03607590	AC01389	Hot air gravity kit - modern style
03607550	AC01375	Hot air gravity kit - traditional
<b>Additional Options</b>		
03607586	AC01224	Chase reduction kit
03607581	AC01275	Fire Screen Door
03607607	AC01347	4" fresh air intake adapter
03602578	AC01350	25' insulated flex pipe (6" dia.)





- 2.9 cu. Ft. firebox heats up to 2800 sq. Ft. at 80,000 BTU's
- Fully refractory-lined firebox
- 2020 EPA Certified
- 6" flue for economical installations
- 16" log size
- Blower included
- .99 g/hr. emissions
- Burn time - 9 hours
- 72% optimum efficiency
- California Customer See Warning Below

The HE325 is a large capacity unit. It features non-catalytic technology for a clean burn and heats up to 2,200 sq. ft. The retractable doors create an unrivaled experience. The unit includes a blower for additional heat circulation.

## Ventis® HE325 Wood Fireplace

Item #	Part #	Description
<b>Choose fireplace</b>		
03607601	VB00018	Ventis HE325 ZC wood fireplace with blower
<b>Choose faceplate to complete unit (Required)</b>		
03607599	VBA1570	Traditional style faceplate
<b>Additional Options</b>		
03607595	AC01379	Rigid Fire screen
03607607	AC01347	4" fresh air intake adapter
03607550	AC01375	Hot air gravity kit - traditional
03602582	VA4460	Forced air kit
03602578	AC01350	25' insulated flex pipe (6" dia.)



- 4.3 cu. Ft. firebox heats up to 2800 sq. Ft. at 95,000 BTU's
- Fully refractory-lined firebox
- 2020 EPA Certified
- 8" flue for economical installations
- 25" log size
- Blower included
- 1.6 g/hr. emissions
- Burn time - 5 hours
- 69.7% optimum efficiency
- California Customer See Warning Below

The HE350 features a 4.3 cu. ft. firebox. A Luxurious effect is created by this eye-catching unit. It is ideal for heating a large room. It features non-catalytic technology for a clean burn and heats up to 2,800 sq. ft. The unit includes a blower for additional heat circulation.

## Ventis® HE350 Wood Fireplace

Item #	Part #	Description
<b>Choose Your Stove</b>		
03607066	VB00005	Ventis HE350 ZC wood fireplace with blower
<b>Choose a faceplate and refractory kit to complete unit (Required)</b>		
03607072	VBA1540	Traditional faceplate
03576227	AC02360	Refractory kit
<b>Additional Options</b>		
03607616	AC01349	5" fresh air intake register with airtight damper
03602582	VA4460	Forced air kit
03607550	AC01375	Hot air gravity kit - traditional
03602578	AC01350	25' insulated flex pipe (6" dia.)





- 4.25 cu. Ft. firebox
- Fully refractory-lined firebox
- EPA Exempt
- 8" flue for economical installations
- 20" log size
- Blower included
- California Customer See Warning Below

The ME300 fireplace is designed for ambiance. It generates enough heat in the event of a power failure. This unit includes a blower for heat circulation and a fire screen to allow the enjoyment of an open fire.

## Ventis® ME300 Wood Fireplace

Item #	Part #	Description
<b>Choose fireplace</b>		
03602586	VB00001	Ventis ME300 ZC wood fireplace with blower
<b>Choose faceplate to complete unit (Required)</b>		
03607067	VBA1520	Rustic style faceplate
<b>Additional Options</b>		
03607607	AC01347	4" fresh air intake adapter
03607550	AC01375	Hot air gravity kit - modern style
03602578	AC01350	25' insulated flex pipe (6" dia.)



- Stainless steel construction
- Fully refractory-lined firebox
- Fully insulated
- 8" flue for 8" Class-A chimney
- Listed to UL-127
- Approved with vented or vent-free gas logs
- California Customer See Warning Below

The 36" and 42" Forever Fireplace features stainless steel construction and is built to last for many years to come. It was designed as a replacement unit for the old and obsolete units found in millions of homes today. Glass doors are an option for these units along with trim kits.

## Ventis® Forever Fireplace 36" and 42" Woodburning Fireplaces

Item #	Part #	Description
<b>Choose fireplace</b>		
03607619	OCV-RR-36	Ventis 36" Ventis Forever Fireplace
03607620	OCV-RR-42	Ventis 42" Ventis Forever Fireplace
<b>Additional Options</b>		
03607624	Z RRD36	36" Bi-Fold Glass Door
03607625	Z RRD42	42" Bi-Fold Glass Door
03607621	OCV-RR-FAI	Fresh air kit
03607815	OCV-RR-SRD36	Trim Kit
03607816	OCV-RR-SRD42	Trim Kit



**Product Note: Please Allow 7 Days For Shipping**

# Timberwolf® Gas Inserts



- Up to 24,500 BTU's
- Beautifully realistic Split Oak log set included
- Clean Face Design And Flush Finish Accessories
- Simple and robust millivolt control system
- Superior heat circulating blower available
- Faceplates available in both 2 1/2" or 5" widths
- Premium clean face safety barrier maximizes viewing area
- Vent Size: 2 - 3" Liners
- California Customer See Warning Below


The Timberwolf Gas Fireplace Insert offers many standard features including a premium SPLIT OAK log set and "H" style burner that produces a full firebox of flames. The clean face design, flush finish, accessories, and endless design opportunities make this perfect for smaller living spaces. This unit is great for homeowners who want the cost-saving benefits of Zone Heating (heating the rooms you use the most) plus the benefit of replacing an old drafty masonry fireplace with an efficient heating source.

## Timberwolf® TDI3N Gas Direct Vent Insert

Item #	Part #	Description
Choose fireplace		
03607118	TDI3N	Direct Vent Gas Insert, Natural Gas with split oak logs
03609506	TDI3N-1	Direct Vent Gas Insert, Natural Gas with split oak logs
Product note: Minimum fireplace opening 29"w x 21 1/2"h x 14 3/8"d		
COP57267	W175-0687	Conversion Kit - Natural Gas to Propane
03609496	W175-0835	Conversion Kit - Natural Gas To Propane For TDI3N-1
Note: Indicates While Supplies Last		
Choose your decorative panels to complete unit (Required)		
COP57257	DBPI3OS	Decorative brick panels - Standard Old Town Red
COP57260	DBPI3NS	Decorative brick panels - Standard Newport
COP57263	PRPI3	MIRRO-FLAME Porcelain Reflective Radiant Panels
Additional Options - Faceplate		
COP57236	SBK3F3B3	Small 3 Sided Faceplate (for use with 3 sided backerplate) black
COP57238	SBK4F3B3	Small 4 Sided Faceplate (for use with 3 sided backerplate) black
COP57241	SBK4F4B3	Small 4 Sided Faceplate (for use with 4 sided backerplate) black
COP57244	SABK4F3B3	Small Arched 4 Sided Faceplate (for use with 3 sided backerplate) black
Additional Options - Backerplate		
COP57247	SBK3B2540	Small 3 Sided Backerplate
COP57249	MBK3B2846	Medium 3 Sided Backerplate
COP57251	LBK3B3048	Large 3 Sided Backerplate
COP57254	BK4B3142	Large 4 Sided Backerplate
Additional Options		
COP57273	GI-RB3	Riser box (3" H x 45" W)
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote
COP57279	BKGD13	Blower kit
COP16194	FC-12	12" stainless steel gas flex connector & shut off



Old Town Red, Newport & Porcelain Panels



Arched, 3 Sided & 4 Sided Faceplates



Small, Medium & Large 3 Sided Backer Plate



4 Sided Backer Plate






- Up to 24,500 BTU's
- Sparkling Topaz Crystalline™ Ember Bed
- Clean Face Design And Flush Finish Accessories
- SIT Proflame II Electronic Ignition
- MIRRO-FLAME™ Porcelain Reflective Radiant Panels included
- Faceplates available in both 2 1/2" or 5" widths
- Premium clean face safety barrier maximizes viewing area
- Vent Size: 2 - 3" Liners
- California Customer See Warning Below

A sparkling, modern fireplace with glass ember bed will add much-needed luxe to your favorite spaces when you install an TDIGN Gas Insert with Glass Ember Bed. The exclusive NIGHT LIGHT™ and MIRRO-FLAME Porcelain Reflective Radiant Panels provide the illusion of a deep firebox while creating a warm and relaxing atmosphere. This fireplace insert is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALLINE™ ember bed. Heating smarter and saving energy doesn't have to mean compromising great design.

## Timberwolf® TDI3GN Gas Direct Vent Insert

Item #	Part #	Description
<b>Choose fireplace</b>		
03607119	TDI3GN	Direct Vent Gas Insert, Natural Gas with porcelain panels
03609505	TDIG3N-1	Direct Vent Gas Insert, Natural Gas with porcelain panels
<b>Product note: Minimum fireplace opening 29"w x 21 1/2"h x 14 3/8"d</b>		
COP57268	W175-0688	Conversion Kit - Natural Gas to Propane
03609500	W175-0827	Conversion Kit - Natural Gas To Propane For GDIG3N-1
<b>Note: Indicates While Supplies Last</b>		
<b>Additional Options - Faceplate</b>		
COP57236	SBK3F3B3	Small 3 Sided Faceplate (for use with 3 sided backerplate)
COP57238	SBK4F3B3	Small 4 Sided Faceplate (for use with 3 sided backerplate)
COP57241	SBK4F4B3	Small 4 Sided Faceplate (for use with 4 sided backerplate)
COP57244	SABK4F3B3	Small Arched 4 Sided Faceplate (for use with 3 sided
<b>Additional Options - Backerplate</b>		
COP57247	SBK3B2540	Small 3 Sided Backerplate
COP57249	MBK3B2846	Medium 3 Sided Backerplate
COP57251	LBK3B3048	Large 3 Sided Backerplate
COP57254	BK4B3142	Large 4 Sided Backerplate
<b>Additional Options</b>		
03558739	MKBA	glass beads - amber
03558688	MKBK	glass beads - black
03558689	MKBB	glass beads - blue
03558740	MKBC	glass beads - clear
COP17017	MKGK	glass embers - black
COP17019	MKGB	glass embers - blue
COP17023	MKGA	glass embers - amber
00106673	MKGC	glass embers - clear
02479436	MKGT	glass embers- topaz
COP57277	BKGDIX3	Blower Kit
COP57273	GI-RB3	Riser box (3" H x 45" W)



Arched, 3 Sided & 4 Sided Faceplates



Small, Medium & Large 3 Sided Backer Plate



4 Sided Backer Plate





- Up to 30,000 BTU's
- Beautifully realistic Oak log set included
- Clean Face Design And Flush Finish Accessories
- SIT Proflame II Electronic Ignition
- Superior heat circulating blower available
- Faceplates available in both 2.5" or 5" widths
- Premium clean face safety barrier maximizes viewing area
- Exclusive NIGHT LIGHT™ included
- Vent Size: 2 - 3" Liners
- California Customer See Warning Below




This deluxe Gas Fireplace Insert includes a thermostatic remote, the exclusive NIGHT LIGHT™ detail that radiates a warm glow throughout the room, even when the fireplace is off. This unit has an exclusive dual burner split-flow system that results in a firebox filled with a stunning triple flame pattern and allows the option of independently operating the front and rear burners. The TDIX3N provides additional BTU's for added heat. Directional baffles increase airflow to help drive the heat throughout your home for maximum efficiency. The perfect solution for replacing and updating an inefficient old masonry setting. This insert also comes equipped with eFIRE Bluetooth technology for your added convenience.

### Timberwolf® TDIX3N Gas Direct Vent Insert

Item #	Part #	Description
<b>Choose fireplace</b>		
03607120	TDIX3N	Direct Vent Gas Insert, Natural Gas with oak logs
03609507	TDIX3N-1	Direct Vent Gas Insert, Natural Gas with oak logs
<b>Product note: Minimum fireplace opening 29"w x 21 1/2"h x 14 3/8"d</b>		
COP57269	W175-0689	Conversion Kit - Natural Gas to Propane For TDIX3N
03609502	W175-0823	Conversion Kit - Natural Gas To Propane For TDIX3N-1
<b>Note: Indicates While Supplies Last</b>		
<b>Choose your decorative panels to complete unit (Required)</b>		
COP57257	DBPI3OS	Decorative brick panels - Standard Old Town Red
COP57260	DBPI3NS	Decorative brick panels - Standard Newport
COP57263	PRPI3	MIRRO-FLAME Porcelain Reflective Radiant Panels
<b>Additional Options - Faceplate</b>		
COP57236	SBK3F3B3	Small 3 Sided Faceplate (for use with 3 sided backerplate)
COP57238	SBK4F3B3	Small 4 Sided Faceplate (for use with 3 sided backerplate)
COP57241	SBK4F4B3	Small 4 Sided Faceplate (for use with 4 sided backerplate)
COP57244	SABK4F3B3	Small Arched 4 Sided Faceplate (for use with 3 sided
<b>Additional Options - Backerplate</b>		
COP57247	SBK3B2540	Small 3 Sided Backerplate
COP57249	MBK3B2846	Medium 3 Sided Backerplate
COP57251	LBK3B3048	Large 3 Sided Backerplate
COP57254	BK4B3142	Large 4 Sided Backerplate
<b>Additional Options</b>		
COP57277	BKGDIX3	Blower Kit
COP57273	GI-RB3	Riser box (3" H x 45" W)



Old Town Red, Newport & Porcelain Panels



Arched, 3 Sided & 4 Sided Faceplates



Small, Medium & Large 3 Sided Backer Plate



Included

eFrie Enabled App



Included

Proflame II Remote



4 Sided Backer Plate

# Timberwolf® Gas Insert Venting

## Timberwolf® Venting For Gas Inserts

Item #	Part #	Description
<b>Choose fireplace</b>		
03569298	GDI-229	Gdi-229 Universal Terminal, Co-Linear
00303427	GDI-223	Gdi-223 Terminal
00106588	GDI-2320KT	Gdi-2320Kt Vent Kit 20Ft
00106592	GDI-325KT	GDI-325KT Vent Kit 25 Ft (2 -3" Double Ply Aluminum Liner-Inlet & Exhaust)
00106593	GDI-335KT	GDI-335KT Vent Kit 35 Ft (2 -3" Double Ply Aluminum Liner-Inlet & Exhaust)

California Customer See Warning Below.



GDI-229



GDI-2320KT, GDI-325KT, GDI-335KT



GDI-223 Terminal, Co-linear

Product Note: All Timberwolf Gas Inserts are approved for Ventis and DuraVent

# Timberwolf® Gas Stove and Fireplace Venting



Laser Centering Device

## Timberwolf Gas Stoves are approved for Ventis and DuraVent Direct Vent Chimney

Item #	Part #	Description
<b>Must Choose an Adapter to use Ventis or DuraVent on Timberwolf Gas Stoves</b>		
03607819	VDV-NA04-47S	4" Ventis-Napoleon Gas Stove Adapter
COP16339	GDS924N	DuraVent Adapter (For Use with DuraVent GS)
<b>Optional B-Vent Adaptor for Timberwolf Gas Stoves for TDS50, TDS28 &amp; TDS60</b>		
COP16391	GS-150KT	B-vent adaptor kit (includes spill switch & decorative metallic black band)
<b>Must Choose an Adapter to use Ventis or DuraVent on Timberwolf TB36 DV Units</b>		
03607820	VDV-NA04-47F	4" Ventis-Napoleon Fireplace adapter
COP16458	W175-0053	DuraVent Adapter (Uses 4" x 7" Venting)
<b>Must Choose an Adapter to use Ventis or DuraVent on Timberwolf TB42 TV Units</b>		
03607820	VDV-NA04-47F	4" Ventis-Napoleon Fireplace adapter
COP16458	W175-0053	DuraVent Adapter (Uses 4" x 7" Venting)
<b>Laser Centering Device</b>		
COP27300		Laser Centering Device For Factory-Built Chimney Installations

# Timberwolf® Gas Stoves



- Up to 44,000 BTU's
- Heat Radiating Ceramic Glass
- Advanced, Triple-Burner
- Flame/Heat Adjustment
- Blower Included
- Vent Size: 4"/7"
- California Customer See Warning Below



The TDS50 Gas Stove offers many benefits – a built-in blower, extra large heat exchanger, easily accessible controls, solid body construction and a triple state-of-the-art burner system allowing superior heating efficiency.

## Timberwolf® TDS50N Gas Direct Vent Stove

Item #	Part #	Description
<b>Choose fireplace</b>		
03607122	TDS50N	Direct vent gas stove - Natural gas
COP16740	W175-0231	Conversion Kit - Natural Gas to Propane
<b>Choose a door to complete the unit (Required)</b>		
03607091	GS350K-1	Metallic Black Door
01031230	GS350S-1	Metallic Satin Chrome
<b>Additional Options</b>		
COP16142	ANI-K	Andirons painted black
03606721	AGFEI	Ambient-GLOW Fireplace Embers Individual packages
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote



Metallic Black Door



Satin Chrome Door



- Up to 30,000 BTU's
- Heat Radiating Ceramic Glass
- Advanced, Triple-Burner
- Flame/Heat Adjustment
- Blower Included
- Vent Size: 4"/7"
- California Customer See Warning Below



Good things do come in small packages! If you have limited space but still desire the beauty and convenience of a gas stove... the TDS28N Gas Stove is the answer!

## Timberwolf® TDS28N Gas Direct Vent Stove

Item #	Part #	Description
<b>Choose fireplace</b>		
03607123	TDS28N	Direct vent gas stove - Natural gas
COP16460	W175-0124	Conversion Kit - Natural Gas to Propane
<b>Choose a door to complete the unit (Required)</b>		
03607093	GS328K-1	Metallic Black Door
03607793	GS328S-1	Metallic Satin Chrome
<b>Additional Options</b>		
03607819	VDV-NA04-47S	4" Ventis-Napoleon Gas Stove Adapter
COP16142	ANI-K	Andirons painted black
03606721	AGFE	Ambient-GLOW Fireplace Embers Individual
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote



Metallic Black Door



Satin Chrome Door

**Product Note: Timberwolf Gas Stoves Are Approved For Ventis® Direct Vent Chimney**





- Up to 35,000 BTU's
- Heat Radiating Ceramic Glass
- YELLOW DANCING FLAMES®
- Flame/Heat Adjustment
- Safety Screen Included
- Vent Size: 4"/7"
- California Customer See Warning Below



The TDS60 is always in demand thanks to its solid performance and impressive efficiency at heating. A hand-painted log set is engulfed in YELLOW DANCING FLAMES® thanks to the advanced burner system. This produces copious amounts of comfortable heat and light, perfect for any space.

## Timberwolf® TDS60N Gas Direct Vent Stove

Item #	Part #	Description
<b>Choose fireplace</b>		
03607124	TDS60N	Cast Iron, NG, Millivolt Ignition, Metallic Black
COP16993	W175-0318	Conversion Kit - Natural Gas to Propane
<b>Options</b>		
00106596	GDS819KT	Decorative brick panels - sandstone
COP16393	GS-64KT	Blower kit with variable speed and thermostatic
COP16994	GS831K	Trivet (required when installing a "rear vent")
COP16142	ANI-K	Andirons painted black
03606721	AGFEI	Ambient-GLOW Fireplace Embers Individual packages
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote

**Product Note: Timberwolf Gas Stoves Are Approved For Ventis® and DuraVent Direct Vent Chimney**



**Sandstone Brick**



**Remote Options**



- Up to 20,000 BTU's
- Heat Radiating Ceramic Glass
- Flame/Heat Adjustment
- Safety Screen Included
- Blower Optional
- Vent Size: 4"/7"
- California Customer See Warning Below

The TDS20 Gas Stove crafted in cast iron and with its slender, space-saving design and 45° venting, is perfect for smaller rooms. The burner system features a randomly flickering flame and realistic glowing ember bed. Accentuating the realistic fire is the lifelike log which provides a natural wood burning look.

## Timberwolf® TDS20N Gas Direct Vent Stove

Item #	Part #	Description
<b>Choose fireplace</b>		
03607125	TDS20N	Cast Iron, NG, Millivolt Ignition, Metallic Black
00274117	W175-0234	Conversion Kit - Natural Gas to Propane
<b>Options</b>		
COP16101	GS-65KT	Blower with variable speed and t'stat control
03606721	AGFEI	Ambient-GLOW Fireplace Embers Individual
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote

**Product Note: Timberwolf Gas Stoves Are Approved For Ventis® and DuraVent Direct Vent Chimney**



**Remote Options**



# Timberwolf® Gas Fireplaces



- Up to 18,000 BTU's
- Exclusive PHAZER™ Log Set and Glowing Ember Bed
- YELLOW DANCING FLAMES®
- Pan Style Burner
- Millivolt or Electronic ignition systems available
- Clean face design with no louvers
- Optional MIRRO-FLAME™ Porcelain Reflective Radiant Panels
- Optional blower kit
- Vent Size: 4"/7"
- California Customer See Warning Below

The TB36 is perfect for builders and homeowners who are looking for versatile installation options. When space is at a premium, the TB36 is ideal for corner applications while presenting the largest viewing area of its class. It serves as replacement unit for the old and obsolete units found in millions of homes today.

## Timberwolf® TB36NTR/TB36NTRE Gas Direct Vent Fireplace

Item #	Part #	Description
Choose fireplace		
03607126	TB36NTR	Top/rear vent fireplace with black door - NG - Millivolt
03607127	TB36NTRE	Top/rear vent fireplace with black door - NG - Electronic
01031239	W175-0387	Conversion Kit - NG to Propane Millivolt
02492918	W175-0399	Conversion Kit - NG to Propane - Electronic
Additional Options - Decorative Fronts/Trim Kits		
01031305	PRPB36	porcelain reflective radiant panels
02477753	H35F	Decorative front - Heritage black
02477754	Z35F	Decorative front - Zen black
03558656	X36WI	Decorative front Wrought iron
03558660	CFF	Decorative front - Clean Face (rectangular) Flat black
02477756	TK35	2" trim kit -37 1/2" W X 34 1/2" H) painted black
03558897	BT36K	Premium 3" beveled trim kit black
Additional Options - Media Kits		
03580224	SFKS	Shore Fire Kit, mixture of
03581267	MRKS	Mineral rock kit (Recommended with Shore Fire Kit)
COP57299	BFKXS	Beach Fire kit, Driftwood Logs
03569302	RR36	Support bracket for media
03606721	AGFEI	Kit for Ambient-Glow fireplace
Additional Options		
00106470	ACS-SIT	Anti-Condensation Switch (SIT electronic system only)
02477757	AUB	Ascent Universal Blower with variable speed and t-stat
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote

Product Note: Timberwolf Direct Vent Units Are Approved For Ventis® & DuraVent Direct Vent Chimney



Ambient-Glow Embers



Shore Fire Kit



Mineral Rock Kit



Beach Fire Kit



2 & 3 Inch Trim Kits



Porcelain Panels



Heritage, Zen Wrought Iron & Clean Face Fronts



- Up to 22,000 BTU's
- Exclusive PHAZER™ Log Set and Glowing Ember Bed
- Pan Style Burner
- Millivolt or Electronic ignition systems available
- Clean face design with no louvers
- Optional blower kit
- Piezo Ignitor
- Vent Size: 4"/7"
- California Customer See Warning Below

The TB42 gas fireplace features a premium Exclusive PHAZER™ Log set with a traditional look and feel. It is a clean-faced fireplace that maximizes the viewing area so the realistic flames can be enjoyed to their fullest. It serves as replacement unit for the old and obsolete units found in millions of homes today.


Timberwolf® TB42NTR/TB42NTRE Gas Direct Vent Fireplace

Item #	Part #	Description
Choose fireplace		
03607128	TB42NTR	Top/rear vent fireplace with black door - NG - Millivolt
03607129	TB42NTRE	Top/rear vent fireplace with black door - NG - Electronic
03558650	W175-0420	Conversion Kit - NG to Propane Millivolt
03558649	W175-0418	Conversion Kit - NG to Propane - Electronic
Additional Options - Decorative Panels/Fronts/Trim Kits		
03558670	PRPB42TR	MIRRO-FLAME Porcelain Reflective Radiant Panels
03558677	GD871KT	Decorative brick panels sandstone
02477764	H42F	Decorative front - Heritage black
02477765	Z42F	Decorative front - Zen black
03558668	X42WI	Decorative front Wrought iron
02477767	TK42	2" trim kit (37 1/2" W X 34 1/2" H) painted black
03558898	BT42K	Premium 3" beveled trim kit black
Additional Options - Media Kits		
03580789	SFKM	Shore Fire Kit, mixture of rocks and vermiculite
03580790	MRKM	Mineral rock kit (Recommended with Shore Fire Kit)
03580225	BFKS	Beach Fire kit, Driftwood Logs
03569303	RR42	Support bracket for media
03606721	AGFEI	Kit Ambient-GLOW Fireplace Embers - Individual packages
Additional Options		
00106470	ACS-SIT	Anti-Condensation Switch (SIT electronic system only)
03607820	VDV-NA04-47F	4" Ventis-Napoleon Fireplace adapter
COP16458	W175-0053	Dura-Vent Adapter for fireplaces (Uses 4" x 6 5/8" )
02477757	AUB	Ascent Universal Blower with variable speed and t-stat
00105664	W660-0081	Thermostat, wall mount - digital
00272249	F45	On/off hand held battery operated remote
00272250	F60	Thermostatic hand held battery operated remote

Product Note: Timberwolf Direct Vent Units Are Approved For Ventis® & DuraVent Direct Vent Chimney



Sandstone & Porcelain Panels



Heritage, Zen & Wrought Iron Fronts



Ambient-Glow Embers



Shore Fire Kit



Mineral Rock Kit



Beach Fire Kit



2 & 3 Inch Trim Kits

# Napoleon® Electric Fireplaces

## BUILT-IN ELECTRIC FIREPLACES



- Up to 10,000 BTU's and 3,000 Watts
- Privacy Glass Feature
- Log Set with Topaz Glass and Crystal Media Included
- Can be Hardwired - 120V or 240V
- Multi-Color Ember Bed
- Heaters Operate Independently from Each Side
- Full Feature Remote Control

### CLEARion™ See Thru Electric Fireplace (Built-In)

Item #	Part #	Description
Choose fireplace		
03607074	NEFBD50HE	CLEARion™ Elite Built-in Electric Fireplace - 50"
03607792	NEFBD60HE	CLEARion™ Elite Built-in Electric Fireplace - 60"
Options		
03607708	NEFBD50HE-DTRM	Black Surrounds to Accommodate 2" X 4" Wall Installation (for Both Sides)
03607709	NEFBD50HE-SS-DTRM	Stainless Steel Surrounds to Accommodate 2" X 4" Wall Installation (for Both Sides)
03607795	NEFBD50HE-SS-TRIM	Stainless Steel Surrounds to Accommodate 2" X 8" Wall Installation (for Both Sides)
03607789	NEFBD60HE-DTRM	Black Surrounds to Accommodate 2" X 4" Wall Installation (for Both Sides)
03607794	NEFBD60HE-SS-DTRM	Stainless Steel Surrounds to Accommodate 2" X 4" Wall Installation (for Both Sides)
COP17017	MKGK	Glass embers - black
COP17019	MKGB	Glass embers - blue
COP17023	MKGA	Glass embers - amber
00106673	MKGC	Glass embers - clear
02479436	MKGT	Glass embers - topaz

The CLEARion™ See Thru Electric Fireplace is the first ever truly see through electric fireplace. The CLEARion™ can be plugged in or hardwired directly into your electrical system creating a relaxing environment in two rooms. This unique fireplace can heat separate rooms at different rates, increasing the comfort of two spaces at the same time. Customize this fireplace with either a sparkling crystal media ember bed or the hand painted South Beach Logs with Topaz Glass Embers; both sets are included. Illuminated from below by LED, color-changing lights, both ember bed styles glow with a luxurious feel that can be enjoyed from two rooms.



- Up to 10,000 BTU's and 3,000 Watts
- 1, 2 or 3 Sided View
- Combination of Northern Woods Log Set and Crystal Media
- Can be Hardwired - 120V or 240V
- Multi-Color Ember Bed
- Flame/Heat Adjustment
- Full Feature Remote Control

Napoleon's 3-sided electric fireplace series comes in both a 50" and a 60" width and boasts the highest heat output in its category. Showcase the fireplace with the Northern Woods log set or acrylic crystals or combine them both for an amazing display. Effortlessly control all the features using the remote control or the touch screen panel with motion proximity sensor. End panels come with the fireplace to allow you to install the 3-sided fireplace as a 2-sided or 1-sided depending on desired location for installation. Enjoy Napoleon's Trivista™ Series fireplaces year round with their ability to operate the luminous flames with or without heat.

### Trivista™ Series Electric Fireplace (Built-In)

Item #	Part #	Description
Choose fireplace		
03606956	NEFB50H-3SV	Trivista™ 50 - Three-Sided Electric Fireplace
03606957	NEFB60H-3SV	Trivista™ 60 - Three-Sided Electric Fireplace





- Up to 10,000 BTU's
- Vivid Flame Effect
- Self-Trimming
- Can be Hardwired - 120V or 240V
- Multi-Function Remote Included
- Thermostatic Control
- Top Light in 7 Color Settings

The Element™ Series self trimming electric fireplace is a builder special and a tradesman’s dream. It features the highest heat output and best looking flame in its category, and a hardwire installation or plug and play option. Offering so much, from the impressive flame pattern, the glowing log set with ember bed and the addition of a top light with seven different color settings, it is as sure to create eco-friendly zone heating as it is to create a beautiful focal point.

## Element™ 36" Electric Fireplace (Built-In)

Item #	Part #	Description
Choose fireplace		
03607040	NEFB36H-BS	Element™ 36 Built-in Electric Fireplace
Options		
03609242	NEFB36H-BS-TRIM	Optional 3/4pc trim kit (5") for NEFB36H-BS



- Up to 10,000 BTU’s
- Up to 3,000 Watts
- Plug-In or Hardwire 120V/240V
- Vivid Flame Effect
- Thermostatic Function
- Multi-function Remote Included
- Self-Trimming Flange
- 7 Pc Oak Log Set Included

The 42" Element™ Series self trimming electric fireplace is a builder special and a tradesman’s dream. It features the highest heat output and best looking flame in its category, and a hardwire installation or plug and play option. Offering so much, from the impressive flame pattern, the glowing log set with ember bed and the addition of a top light with seven different color settings, it is as sure to create eco-friendly zone heating as it is to create a beautiful focal point. condo, apartment or office.

## Element™ 42" Electric Fireplace (Built In)

Item #	Part #	Description
Choose fireplace		
03609240	NEFB42H-BS	Element 42" Electric Fireplace, Glass Front, Black Finish
Options		
03609241	NEFB42H-BS-TRIM	Optional 3/4pc trim kit (5") for NEFB42H-BS





- 5,000 BTU's
- Plug In or Hardwire
- Logs and Black Crystal Media in One Box
- ECO Mode: Heater at Half Heat
- Boost Mode: Heater at Max Heat with Accelerated Fan Speed
- 7 Ember Bed Color Options
- Orange, Blue and Multi-Color Flame Options
- Touch Screen Control Panel

### Cineview™ Series (Built-In or Insert)

Item #	Part #	Description
<b>Choose fireplace</b>		
03607790	NEFB26H	Cineview™ Log 26 Electric Fireplace
03607791	NEFB30H	Cineview™ Log 30 Electric Fireplace
<b>Options</b>		
03607787	NEFTK2636	4 Piece Trim for NEFB26H Fireplace
<b>Note: Trim Size is 26h" x 36w"</b>		
03607788	NEFTK3040	4 Piece Trim for NEFB30H Fireplace
<b>Note: Trim Size is 30h" x 40w"</b>		
03609910	NEFTK30BK-3828	Zero Clearance 3/4pc trim kit for 36" Wood Box
<b>Note: Trim Size is 28h" x 38w"</b>		
03609911	NEFTK30BK-4432	Zero Clearance 3/4pc trim kit for 36" Wood Box
<b>Note: Trim Size is 32h" x 44w"</b>		

**Product Note: For 3 sided trim kit simply leave off the bottom piece**



Optional 3 Piece Trim



Optional 4 Piece Trim

Napoleon's new Cineview electric inserts are available in 2 sizes – 26" and 30" and come with both logs and crystal media in one box, creating simplicity and flexibility for the homeowner to change up their look based on the season. Featuring orange, blue and multi-colored flame options and 7 different ember bed lights the Cineview can be customized for any setting. Complete with a self-trimming flange for a clean built-in finish. Optional 3pc and 4pc trims are available where more substantial surrounds are desired or when converting a old wood burning fireplace surround. The Cineview also comes standard with an ECO and BOOST modes, which acts like a 2-stage furnace, giving a little extra boost when it is close to reach the temperature desired and conserving energy when needed.

# Napoleon® Electric Fireplaces


## WALL HANGING ELECTRIC FIREPLACES



NEFP32-5019W - Cara



NEFP32-5320BW - Steinfeld



NEFP32-5019W-IOT - CARA ELITE ELECTRIC FIREPLACE

- Up to 5,000 BTUs
- Combination of Birch Log Set and Crystal Media
- Simply Hang and Plug-In 120V
- WHISPER QUIET™ Fan and Heater
- Dual USB Charger Ports (5V/3.1A)
- Shelf with Accent Light
- Four Flame Color Settings
- Voice Control Intergration (Cara Elite)

The Stylus™ is as much an elegant focal point as it is a functional source of heat for large rooms. Control the eye-catching flame color and brightness of this Wall Hanging Electric Fireplace, while the ember bed is lit from the bottom to create the ultimate in customization. Perfect for your modern decor or to take your current design to a new transitional feel. The Stylus™ also features a spotlight for favored decor items on its built-in shelf and a smart LED, double USB plug that indicates when your mobile device has finished charging.

### Stylus™ Series (Wall Hanging)

Item #	Part #	Description
Choose fireplace		
COP57285	NEFP32-5019W	Stylus™ Cara Electric Fireplace
03607796	NEFP32-5320BW	Stylus™ Steinfeld Electric Fireplace
03609495	NEFP32-5019W-IOT	Stylus™ Cara Elite Electric Fireplace

*Note: Indicates While Supplies Last*



See the fireplace, not the frame with Napoleon's Alluravision™ Series linear electric fireplaces. They stand out with their nearly frameless viewing area which highlights the unique flame colors. Set the mood with yellow, orange, blue and multicolor flames at the push of a button. Easy to use, these electric fireplaces are plug and play - just hang on the wall and plug them in. They can also be hardwired to hide the plug. The NIGHT LIGHT™ and glass media with driftwood make stylish additions.

- Up to 9,000 BTUs
- Log Set and Crystal Clear Cube Ember Bed
- WHISPER QUIET™ Fan and Heater
- Simply Hang and Plug-In 120V
- Can be Hardwired 120/240V
- Deep View Design
- Yellow, Orange, Blue or Combined Flame Color Options
- Can be Fully Recessed into the Wall

### Alluravision™ Deep Series (Wall Hanging)

Item #	Part #	Description
Choose fireplace		
03607745	NEFL42CHD-1	42 Deep Depth Electric Fireplace, Glass Front
03607747	NEFL50CHD-1	50 Deep Depth Electric Fireplace
03607749	NEFL60CHD-1	60 Deep Depth Electric Fireplace
03607752	NEFL74CHD-1	74 Deep Depth Electric Fireplace
03607744	NEFL100CHD-1	100 Deep Depth Electric Fireplace

#### Options

COP17017	MKGK	Glass embers - black
COP17019	MKGB	Glass embers - blue
COP17023	MKGA	Glass embers - amber
00106673	MKGC	Glass embers - clear
02479436	MKGT	Glass embers - topaz





See the fireplace, not the frame with Napoleon's Alluravision™ Series linear electric fireplaces. They stand out with their nearly frameless viewing area which highlights the unique flame colors. Set the mood with yellow, orange, blue and multicolor flames at the push of a button. Easy to use, these electric fireplaces are plug and play - just hang on the wall and plug them in. They can also be hardwired to hide the plug. The NIGHT LIGHT™ and glass media with driftwood make stylish additions.

- Up to 9,000 BTUs
- Crystal Clear Cube Ember Bed
- WHISPER QUIET™ Blower with Boost Function
- Simply Hang and Plug-In 120V
- Can be Hardwired 120
- Ultra Slim Design
- Multi-Color Ember Bed and NIGHT LIGHT™
- Can be Fully Recessed into the Wall

Alluravision™ Slimline Series (Wall Hanging)

Item #	Part #	Description
Choose fireplace		
03607746	NEFL42CHS-1	42 Slimline Electric Fireplace
03607748	NEFL50CHS-1	50 Slimline Electric Fireplace
03607750	NEFL60CHS-1	60 Slimline Electric Fireplace
03607751	NEFL74CHS-1	74 Slimline Electric Fireplace
Options		
COP17017	MKGK	Glass embers - black
COP17019	MKGB	Glass embers - blue
COP17023	MKGA	Glass embers - amber
00106673	MKGC	Glass embers - clear
02479436	MKGT	Glass embers - topaz



- Up to 5,000 BTUs
- Simply Hang and Plug-In 120V
- Can be Hardwired 120
- Ultra Slim Design
- Blue, Orange and Combined Multi-Color Flames
- Wall Mount, Partial and Fully Recessed Installations
- 6 Ember Bed Color with Cycling and Fade-In-and-Out Effect

Completely transform your space by hanging a Napoleon Entice™ Electric Fireplace. The Entice™ Series of Electric Fireplaces are a work of art. They easily hang on the wall and plug it in to create instant luxury. The sparkling glass ember bed reflects the beautiful flames; flames that can be refreshing blue, sunny orange, or something in between. Control mood and temperature easily with the included remote control. Protruding only five inches off the wall when hung, or install an Entice™ fully recessed, an Entice™ Electric Fireplace only adds luxury to your space. Ideal for anywhere a gas fireplace can't go, the Entice™ Electric Fireplace easily adds shine and luxury to a

Entice™ Series (Wall Hanging)

Item #	Part #	Description
Choose fireplace		
03607134	NEFL36CFH	Entice™ 36 Electric Fireplace, Glass Front, Black
03607133	NEFL42CFH	Entice™ 42 Electric Fireplace, Glass Front, Black
03607132	NEFL50CFH	Entice™ 50 Electric Fireplace, Glass Front, Black
03607131	NEFL60CFH	Entice™ 60 Electric Fireplace, Glass Front, Black
03607130	NEFL72CFH	Entice™ 72 Electric Fireplace, Glass Front, Black
Options		
COP17017	MKGK	Glass embers - black
COP17019	MKGB	Glass embers - blue
COP17023	MKGA	Glass embers - amber
00106673	MKGC	Glass embers - clear
02479436	MKGT	Glass embers - topaz



NEFL36CFH



NEFL42CFH



NEFL50CFH



NEFL60CFH



NEFL72CFH





- Up to 5,000 BTUs
- Simply Hang and Plug-In 120V
- Wall Mount or Partially Recessed
- Ultra Slim Design
- Blue, Orange and Combined Multi-Color Flames
- Flame Speed Adjustment

Create a stunning focal point with the Allure Vertical Electric Fireplace. Available in two sizes, these fireplaces are perfect when luxury is a must, but space is at a premium. The vertical design hosts a collection of features including an LED ember bed, flames, and side accent lights with more than 6 color options. Operable with or without heat, this vertical fireplace allows you to enjoy it all year round, no matter the season.

## Allure™ Vertical Series (Wall Hanging)

Item #	Part #	Description
<b>Choose fireplace</b>		
03603758	NEFVC32H	Allure™ Vertical 32 Electric Fireplace
03603759	NEFVC38H	Allure™ Vertical 38 Electric Fireplace

# Napoleon® Electric Logs

## ELECTRIC FIREPLACE LOGS SETS



- Up to 5,000 BTUs
- Hand Painted Resin Log Set
- High Intensity LED Lights
- Flame/Heat Adjustment
- Safe to Touch
- Can be Hardwired
- Projected Flame Effect
- Includes Remote Control

The Woodland™ Series are used in an insert style installation, just plug in and place in a pre-existing masonry fireplace. Backed by over 40 years of experience working with real flames, Napoleon is applying that knowledge to their rapidly growing electric fireplace line. These beautifully designed electric log sets offer authentic glowing logs and realistic flames. The Woodland™ series comes in three sizes and allows you to enjoy the look and ambiance of a gas or wood fireplace without any mess, fuss or costly installation fees.



Woodland™ 18"



Woodland™ 24"



Woodland™ 27"

## Woodland™ Series

Item #	Part #	Description
<b>Choose fireplace</b>		
03575886	NEFI18H	Woodland™ 18 Electric Log Set
<i>Minimum Fireplace Opening</i>		<i>14"h x 18"w x 13"d</i>
03558708	NEFI24H	Woodland™ 24 Electric Log Set
<i>Minimum Fireplace Opening</i>		<i>15"h x 24"w x 14"d</i>
03558707	NEFI27H	Woodland™ 27 Electric Log Set
<i>Minimum Fireplace Opening</i>		<i>16"h x 27 1/2"w x 14"d</i>

# Modern Flame® Electric Fireplaces

NEW

ELECTRIC FIREPLACES



## ORION INSTALL OPTIONS



OPEN - 3 SIDED BAY



LEFT CORNER



RIGHT CORNER



CLEAN FACE - FRONT

- Front View, Left Corner, Right Corner, Bay, Built-In, Clean Face, 2x4 Partial Recessed or Wall Mount
- HelioVision® Flame Technology
- Wall Mount Installs Only 1-1/2" From the Wall
- 5,000 (110V) or 10,000 (240V) BTU Heater
- Obsoletes Higher End Gas Fireplaces
- 3 Flame Styles – 6 Flame Colors
- Adjustable Flame Speed (3 levels)
- Ambient Crackling Sound (3 levels)
- WiFi App Controls
- Multi-Color Ember Bed (10 colors)
- Multi-Color Downlighting (10 colors)
- Multi-Dimensional Flame Appearance

Experience the innovative Orion virtual fireplace that utilizes the most optimized technology, creating the most life like-fire in an electric fireplace. Make every presentation brilliant with three flame choices and color options for the flame, embers and downlighting, six colors which offers 18 different flame color displays as well and color options for ember bed and downlighting. No matter where you stand or sit, the image quality is consistent. Heliovision™ technology gives you the premium flame you desire. Multi which offers five sizes, four install options and a 18" high viewing area.

## Orion® MULTI SERIES (Built-In)

Item #	Part #	Description
Choose fireplace		
03609678	OR52-MULTI	52" MULTI HELIOVISION FIREPLACE (9" DEEP - 18" VIEWING)
03609679	OR60-MULTI	60"MULTI HELIOVISION FIREPLACE (9" DEEP - 18" VIEWING)
03609680	OR76-MULTI	76" MULTI HELIOVISION FIREPLACE (9" DEEP - 18" VIEWING)
03609681	OR100-MULTI	100" MULTI HELIOVISION FIREPLACE (9" DEEP - 18" VIEWING)
03609682	OR120-MULTI	120" MULTI HELIOVISION FIREPLACE (9" DEEP - 18" VIEWING)

## THREE DIFFERENT FLAME STYLES INCLUDED

Choose from three different flames, then select one of the six flame colors



HYBRID FLAME



GAS FLAME




WOOD FLAME

## SIX DIFFERENT FLAME COLORS


Choose from the six colors



YELLOW



BLUE



GREEN



ORANGE



PURPLE



WHITE



# Modern Flame® Electric Fireplaces

NEW

## ELECTRIC FIREPLACES



- HelioVision® Flame Technology
- 3 Flame Styles – 6 Flame Colors
- Adjustable Flame Speed (3 levels)
- Ambient Crackling Sound (3 levels)
- WiFi App Controls
- Multi-Color Ember Bed (10 colors)
- Multi-Color Downlighting (10 colors)
- Multi-Dimensional Flame Appearance

Experience the innovative Orion virtual fireplace that utilizes the most optimized technology, creating the most life like-fire in an electric fireplace. Make every presentation brilliant with three flame choices and color options for the flame, embers and downlighting, six colors which offers 18 different flame color displays as well and color options for ember bed and downlighting. No matter where you stand or sit, the image quality is consistent. Heliovision™ technology gives you the premium flame you desire. The Slim series offers four sizes from 52"to 100", 2 install options and a 15" high Viewing area.

### Orion® Slim (Built-In)

Item #	Part #	Description
Choose fireplace		
03609674	OR52-SLIM	52" SLIM HELIOVISION FIREPLACE (6" DEEP - 15" VIEWING)
03609675	OR60-SLIM	60" SLIM HELIOVISION FIREPLACE (6" DEEP - 15" VIEWING)
03609676	OR76-SLIM	76" SLIM HELIOVISION FIREPLACE (6" DEEP - 15" VIEWING)
03609677	OR100-SLIM	100" SLIM HELIOVISION FIREPLACE (6" DEEP - 15" VIEWING)

### THREE DIFFERENT FLAME STYLES INCLUDED

Choose from three different flames, then select one of the six flame colors




HYBRID FLAME

GAS FLAME

WOOD FLAME

### SIX DIFFERENT FLAME COLORS

Choose from the six colors



YELLOW

BLUE

GREEN

ORANGE

PURPLE

WHITE



# Modern Flame® Electric Fireplaces

NEW

ELECTRIC FIREPLACES

NEW MODEL COMING SUMMER 2023



- NEW Innovative FlameTechnology Featuring Custom Flames
- HelioVision® Flame Technology
- Multiple Flame Styles to Choose From
- Obsoletes Higher End Gas Fireplaces
- 3 Flame Styles – 6 Flame Colors
- Adjustable Flame Speed (3 levels)
- Ambient Crackling Sound (3 levels)
- WiFi App Controls
- 120V & 240V Option on 36" | 42" | 54"
- Multi-Color Ember Bed (10 colors)
- Multi-Color Downlighting (10 colors)
- Multi-Dimensional Flame Appearance

Traditional Built-In or Insert virtual electric fireplace - Experience the innovative Orion™ virtual fireplace that utilizes the most optimized technology, creating the most life-like fire in an electric fireplace. Make every presentation brilliant with three flame styles. Embers and down lighting, six colors options and three flames which offers 18 different flame color displays. No matter where you stand or sit, the image quality is consistent. Heliovision™ technology gives you the premium flame you desire.

## ORION™ TRADITIONAL SERIES (Built-In)

Item #	Part #	Description
Choose fireplace		
03609700	OR26-TRAD	26" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 22-7/16" x 16-1/4" VIEWING)
03609701	OR30-TRAD	30" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 27-5/8" x 16-1/4" VIEWING)
03609702	OR36-TRAD	36" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 32-1/8" x 21-3/8" VIEWING)
03609703	OR42-TRAD	42" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 38-1/8" x 24-3/8" VIEWING)
03609704	OR54-TRAD	54" TRADITIONAL HELIOVISION® FIREPLACE (12" DEEP - 50-1/2" x 30-1/2" VIEWING)

# Modern Flame® Electric Fireplace Insert

NEW

ELECTRIC FIREPLACES

NEW MODEL COMING SUMMER 2023



Update your old fireplace with this virtual electric fireplace insert. With efficient heat and beautiful flames, designed as an alternative to a wood-burning fireplaces the Orion® Traditional provides a stunning yet affordable substitute. The insert can provide supplemental zone heating up to 500 square feet and can be used with or without heat for year-round enjoyment. These inserts don't require building a fire, and are even easier to start and maintain. Insert surround kits are available in 4", 5", 6" & 8" pieces to customize your existing fireplace with an Orion® model with a classic clean-look. Insert surround sets are for 26", 30" & 36" models only. Designed to fit into most existing wood burning fireplaces.

- NEW Innovative FlameTechnology Featuring Custom Flames
- HelioVision® Flame Technology
- Multiple Flame Styles to Choose From
- Obsoletes Higher End Gas Fireplaces
- 3 Flame Styles – 6 Flame Colors
- Adjustable Flame Speed (3 levels)
- Ambient Crackling Sound (3 levels)
- WiFi App Controls
- 120V & 240V Option on 36" | 42" | 54"
- Multi-Color Ember Bed (10 colors)
- Multi-Color Downlighting (10 colors)
- Multi-Dimensional Flame Appearance

## Orion® TRADITIONAL (Insert)

Item #	Part #	Description
Choose fireplace		
03609700	OR26-TRAD	26" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 22-7/16" x 16-1/4" VIEWING)
03609701	OR30-TRAD	30" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 27-5/8" x 16-1/4" VIEWING)
03609702	OR36-TRAD	36" TRADITIONAL HELIOVISION® FIREPLACE (10" DEEP - 32-1/8" x 21-3/8" VIEWING)
Choose Your Surround		
26" ORION OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609705	OTK-OR26-SM	SM 5" SURROUND FOR ORION 26 (COVERS 32 3/4"W x 23 1/4"H - 32 3/4"W x 27"H)
03609706	OTK-OR26-LG	LG 7" SURROUND FOR ORION 26 (COVERS 36 3/4"W x 25 1/4"H - 36 3/4"W x 31"H)
30" ORION OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609707	OTK-OR30-SM	SM 5" SURROUND FOR ORION 30 (COVERS 38"W x 23 1/4"H - 38"W x 27"H)
03609708	OTK-OR30-LG	LG 8" SURROUND FOR ORION 30 (COVERS 44"W x 26 1/4"H - 44"W x 33"H)
36" ORION OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609709	OTK-OR36-SM	SM 4" SURROUND FOR ORION 36 (COVERS 40 1/2"W x 27 3/8"H - 40 1/2"W x 30"H)
03609710	OTK-OR36-LG	LG 6" SURROUND FOR ORION 36 (COVERS 44 1/2"W x 29 3/8"H - 44 1/2"W x 34"H)

# Modern Flame® Electric Fireplaces

NEW


## ELECTRIC FIREPLACES



- Hybrid-FXTM Flame Technology
- Random, Beautiful Flame Image
- 4 Flame & Ember Bed Speeds
- High Intensity RGB Flame Colors
- RGB Ember Bed Colors
- RGB Downlighting Colors
- Individually Controlled or Synchronized
- Full Color Spectrum in Each Light Feature
- Outdoor Approved



### INSTALL OPTIONS



### LANDSCAPE PRO™ MULTI (Built-In)

Item #	Part #	Description
Choose fireplace		
03609683	LPM-4416	44" MULTI-SIDED BUILT-IN (11.5" DEEP - 44" X 16" VIEWING)
03609684	LPM-5616	56" LANDSCAPE PRO™ MULTI-SIDED BUILT-IN (11.5" DEEP - 56" X 16" VIEWING)
03609685	LPM-6816	68" LANDSCAPE PRO™ MULTI-SIDED BUILT-IN (11.5" DEEP - 68" X 16" VIEWING)
03609686	LPM-8016	80" LANDSCAPE PRO™ MULTI-SIDED BUILT-IN (11.5" DEEP - 80" X 16" VIEWING)
03609687	LPM-9616	96" LANDSCAPE PRO™ MULTI-SIDED BUILT-IN (11.5" DEEP - 96" X 16" VIEWING)
03609688	LPM-12016	120" LANDSCAPE PRO™ MULTI-SIDED BUILT-IN (11.5" DEEP - 120" X 16" VIEWING)



- Hybrid-FXTM Flame Technology
- Random, Beautiful Flame Image
- 4 Flame & Ember Bed Speeds
- High Intensity RGB Flame Colors
- RGB Ember Bed Colors
- RGB Downlighting Colors
- Individually Controlled or Synchronized
- Full Color Spectrum in Each Light Feature
- Outdoor Approved



Traditional Built-In or Insert virtual electric fireplace - Experience the innovative Orion™ virtual fireplace that utilizes the most optimized technology, creating the most life-like fire in an electric fireplace. Make every presentation brilliant with three flame styles. Embers and down lighting, six colors options and three flames which offers 18 different flame color displays. No matter where you stand or sit, the image quality is consistent. Heliovision™ technology gives you the premium flame you desire.

### LANDSCAPE PRO™ Slim Line (Built-In)

Item #	Part #	Description
03609689	LPS-4414	44" BUILT-IN (5.5" DEEP - 44" X 14" VIEWING)
03609690	LPS-5614	56" BUILT-IN (5.5" DEEP - 56" X 14" VIEWING)
03609691	LPS-6814	68" BUILT-IN (5.5" DEEP - 68" X 14" VIEWING)
03609692	LPS-8014	80" BUILT-IN (5.5" DEEP - 80" X 14" VIEWING)
03609693	LPS-9614	96" BUILT-IN (5.5" DEEP - 96" X 14" VIEWING)



# Modern Flame® Electric Fireplaces



## ELECTRIC FIREPLACES



- Hybrid-FXTM Flame Technology
- Log Set – Highly Detailed Realism
- 10 Color Flame Combinations with Ember Bed & Down Lighting
- Glacier Glass Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Variable Heat with Thermostat
- Hardwire Ready

The SPECTRUM SLIIMLINE SERIES - Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile and be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 12 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.

### SPECTRUM SLIIMLINE (Buit-In or Wall Mount)

Item #	Part #	Description
Choose fireplace		
03609694	SPS-50B	50" WALL MOUNT/ RECESSED (4" DEEP - 46" X 12" VIEWING) 16" VIEWING)
03609695	SPS-60B	60" WALL MOUNT/ RECESSED (4" DEEP - 56" X 12" VIEWING)
03609696	SPS-74B	74" WALL MOUNT/ RECESSED (4" DEEP - 74" X 12" VIEWING)
03609697	SPS-100B	100" WALL MOUNT/ RECESSED (4" DEEP - 96" X 12" VIEWING)



- 10 Vibrant Flame & Ember Bed Colors
- 5 Selective Dimmer Options for Flame
- 7-1/2 Hour Auto Off Timer
- 3 Heat Level Options
- 2x6 Wall Install

The Challenger flush mount electric fireplace features a convenient 50" or 60" size. This contemporary designed electric fireplace features 10 different flame colors that puts it in a class of its own. Standard media includes glacier crystals. A 5,000 BTU heater can be controlled with the touch screen located on the front panel or by the remote.

### CHALLENGER SERIES (Built-In or Wall Mount)

Item #	Part #	Description
03609698	CEF-50B	50" RECESSED FIREPLACE (6" DEEP - 45" X 12" VIEWING)
03609699	CEF-60B	60" RECESSED FIREPLACE (6" DEEP - 45" X 12" VIEWING)

# Modern Flame® Electric Fireplaces

NEW

ELECTRIC FIREPLACES



- Hybrid-FXTM Flame Technology
- Premium Glowing Log Set
- 10 Color Flame Combinations with Ember Bed & Down Lighting
- Acrylic Crystal Ember Bed
- Low Energy LED Flame Technology
- Touch Button Controls
- New Sleek Remote
- Variable Flame Controls
- Hardwire Ready

The Redstone feature our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 10" to 12" of depth in a wall for the built-in/slide-in flush mount look. The Redstone plugs into a standard outlet and includes a 5,000 BTU heater. Acrylic crystal media and driftwood logs are both standard media & the Redstone is available in sizes 26", 30", 36", 42" & 54".

## REDSTONE™ SERIES (Built-In)

Item #	Part #	Description
Choose fireplace		
03609711	RS-2621	26" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 23" X 15.5" VIEWING)
03609712	RS-3021	30" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 28" X 15.5" VIEWING)
03609713	RS-3626	36" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 32.5" X 15.5" VIEWING)
03609714	RS-4229	42" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 42" X 15.5" VIEWING)
03609715	RS-5435	54" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 54" X 15.5" VIEWING)

# Modern Flame® Electric Fireplaces

NEW

ELECTRIC FIREPLACES



Update your old fireplace with this premium electric fireplace insert. With efficient heat and beautiful, life-like flames, designed as an alternative to a wood-burning fireplace and provides a beautiful and affordable substitute. The insert can provide supplemental zone heating up to 500 square feet and can be used with or without heat for year-round enjoyment. These inserts don't require building a fire, and are even easier to start and maintain. Insert surround kits are available in 4", 5", 6" & 8" pieces to customize your existing fireplace with a Redstone model with a classic clean-look, Insert surround sets are for 26", 30" & 36" models only. Designed to fit into most existing wood burning fireplaces.

- Hybrid-FXTM Flame Technology
  - Premium Glowing Log Set
  - 10 Color Flame Combinations with Ember Bed & Down Lighting
  - Acrylic Crystal Ember Bed
- Low Energy LED Flame Technology
  - Touch Button Controls
  - New Sleek Remote
  - Variable Flame Controls
  - Hardwire Ready

## REDSTONE™ SERIES (Insert)

Item #	Part #	Description
Choose fireplace		
03609711	RS-2621	26" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 23" X 15.5" VIEWING)
03609712	RS-3021	30" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 28" X 15.5" VIEWING)
03609713	RS-3626	36" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 32.5" X 15.5" VIEWING)
Choose Your Surround		
26" REDSTONE OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609716	TK-RS26-3324	26" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 23" X 15.5" VIEWING)
03609717	TK-RS26-3726	30" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 28" X 15.5" VIEWING)
30" REDSTONE OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609718	TK-RS30-3824	26" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 23" X 15.5" VIEWING)
03609720	TK-RS30-4427	30" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 28" X 15.5" VIEWING)
36" REDSTONE OPTIONAL SURROUNDS (FOR EXISTING FIREPLACE OPENINGS)		
03609719	TK-RS36-4128	26" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 23" X 15.5" VIEWING)
03609721	TK-RS36-4530	30" REDSTONE TRADITIONAL ELECTRIC FIREPLACE (10" DEEP - 28" X 15.5" VIEWING)



# Gas Log Sets and Accessories

Ventis® VENTED AND VENT FREE GAS LOG SETS



Allegheny Oak



Burnt Mountain Oak



Cord Oak



Adirondack Oak

## Ventis® Gas Log Sets

Our Ventis® Gas Log Sets are available for both natural gas and liquid propane. Our four unique sets feature natural looking, hard refractory, hand-painted logs, and a beautifully glowing ember bed which create a realistic look.

**NOTE:** Allegheny Oak, Burnt Mountain Oak, and Cord Oak are for V1 Vented Series Burners Only. Adirondack Oak is for VF1 Vent-Free Burners Only.

Item #	Part #	Gas Log Set	Minimum Fireplace Opening
Allegheny Oak Log Set - Vented			
03602600	AOK-18	18" Log Set	26"w × 18"h × 15"d
03602601	AOK-24	24" Log Set	30"w × 18"h × 15"d
03602602	AOK-30	30" Log Set	36"w × 18"h × 15"d
Burnt Mountain Log Set - Vented			
03602604	BMO-18	18" Log Set	26"w × 18"h × 15"d
03602605	BMO-24	24" Log Set	30"w × 18"h × 15"d
03602606	BMO-30	30" Log Set	36"w × 18"h × 15"d
Cord Oak Log Set - Vented			
03602608	CO-18	18" Log Set	26"w × 18"h × 15"d
03602609	CO-24	24" Log Set	30"w × 18"h × 15"d
03602610	CO-30	30" Log Set	36"w × 18"h × 15"d
Adirondack Oak Log Set - Vent Free			
03602597	ADO-18	18" Log Set	22"w × 17"h × 13"d
03602598	ADO-24	24" Log Set	28"w × 18"h × 14"d
03602599	ADO-30	30" Log Set	34"w × 18"h × 14"d



## Ventis® Gas Log Accessories

Item #	Part #	Description
03602611	EEK-1	(A) Decor Pack Featuring Bryte Coals
03602614	VRK-1	(B) Refresh Kit, Natural Gas
03602615	VRK-2	Refresh Kit, Propane
03602603	BMN-10-6	(C) Select White Sand, 10lb. bag (6 per case)
03602607	BMP-15-12	(D) Vermiculite Granules, (12 per case)
03602613	LG-10-6	(E) Lava-Fyre Granules, 10lb. bag (6 per case)
03602612	GLE-1-12	(F) Ember Glow, (12 per case)

# Gas Log Sets and Accessories

Ventis® VENTED AND VENT FREE GAS LOG SETS



V1 Series (vented)



VF1 Series (vent free)



Variable Flame Remote

## Ventis® Gas Log Burners

- Available for natural gas (NG) or liquid propane (LP)
- ANSI Certified Burner System with variable flame remote

**V1 Series** (vented) features hidden installed controls, piezo ignition, and lively flames and embers with less BTUs. Lava granules included.

**VF1 Series** (vent free) is available for natural gas or propane with variable BTUs from 19,000 to 37,000. Lava granules, embers, and Bryte Coals are included with the unit.

Item #	Part #	Gas Log Burner
<b>V1 Series ANSI Certified Vented System with Variable Flame Remote</b>		
03602587	V1-18-VRN	18" Ventis 40,000 BTU Vented Burner, Ng
03602588	V1-18-VRP	18" Ventis 40,000 BTU Vented Burner , Lp
<b>Product Note: 18" Minimum Fireplace Opening 26"w × 18"h × 15"d</b>		
03602589	V1-24-VRN	24" Ventis 55,000 Vented Borne , Ng
03602590	V1-24-VRP	24" Ventis 55,000 Vented Burner, Lp
<b>Product Note: 24" Minimum Fireplace Opening 30"w × 18"h × 15"d</b>		
03602591	V1-30-VRN	30" Ventis 65,000 Vented Burner, Ng
03602592	V1-30-VRP	30" Ventis 65,000 Vented Burner, Lp
<b>Product Note: 30" Minimum Fireplace Opening 36"w × 18"h × 15"d</b>		
<b>VF1 Series ANSI Certified Vent Free System with Variable Flame Remote</b>		
03602593	VF1-18-VRN	18" Ventis Vent Free Burner System, Ng
03602594	VF1-18-VRP	18" Ventis Vent Free Burner System, Lp
<b>Product Note: 18" Minimum fireplace opening 22"w×18"h×13"d</b>		
<b>18" Burners 26,000 to 35,000 BTU's</b>		
03602595	VF1-2430-VRN	24/30" Ventis Vent Free Burner System, Ng
03602596	VF1-2430-VRP	24/30" Ventis Vent Free Burner System, Lp
<b>Product Not: 24" Log set and Burner Minimum Fireplace Opening: 28"w × 18"h × 14"d</b>		
<b>Product Note: 30" log set and Buner Minimum fireplace opening 34"w × 18"h × 14"d</b>		
<b>24"-30" Burners 19,000 to 37,000 BTU's</b>		





Classic Oak



Western Pine



Grand Oak



Inferno

# Hargrove® Vented Gas Logs

## HARGOVE VENTED LOG SETS

The Classic Oak, Western Pine, Grand Oak, Inferno and the Magnificent Inferno logs offer a realistic look of wood, a quality Hargrove is know for. All logs carry a lifetime warranty against breakage. Accessories and metal parts have a two year warranty.

You have choices when it comes to burners. (Sold Separately) The E-burners and the H- burners come with all of the necessary hardware — decorative silica sand, volcanic cinders, dual effect embers, pedestal grate, ember tray, damper stop, and aluminum connector for installation to a fireplace with a 1/2" natural gas line. Additional options include a millivolt control valve to make the logs remote ready and a safety pilot control which is required in some areas. The safety pilot control and millivolt control kits are sold separately. Save on installation time with the fully assembled remote ready H-Burner with variable flame adjustment control. (Remote Included) available in NG or LP.

## RGA 2-72 Approved Vented Hargrove Gas Logs SEE MORE ON THE NEXT PAGE AND PREVIOUS PAGE

Item #	Part #	Gas Log Set Description
Choose log set + Choose a burner (Required to complete the set)		
03608446	CLS1805AA	18" Classic Oak
03608429	GOS1805AA	18" Grand Oak
Product Note: 18" Minimum fireplace opening 18"h x 24"w x 15"d		
03608443	ISS2106AA	21" Inferno — uses 18" burner
03608428	MIS2106AA	21" Magnificent Inferno — uses 18" burner
03608450	WPS2106AA	21" Western Pine — uses 18" burner
Product Note: 21" Minimum fireplace opening 18"h x 25"w x 15"d		
03608444	ISS2406AA	24" Inferno
03608445	MIS2407AA	24" Magnificent Inferno
03608448	GOS2406AA	24" Grand Oak
03608447	CLS2406AA	24" Classic Oak
03608451	WPS2407AA	24" Western Pine
Product Note: 24" Minimum fireplace opening 18"h x 28"w x 15"d		
03608427	ISS3007AA	30" Inferno
03608449	GOS3007AA	30" Grand Oak

**Product Note: 30" Minimum fireplace opening 18"h x 34"w x 15"d**

**Natural Gas and Propane Note:** Standard gas logs are for natural gas use. Local codes may require the addition of a safety pilot control (sold separately) for natural gas logs or may require installation by a licensed plumber. Check with local codes to see if they prohibit and/or require other modifications. For Propane, be sure to order the appropriate size Propane safety pilot kit.

**Legal Note:** State/local codes may restrict gas logs installation. Consult your municipality.



Magnificent Inferno





Cross Timbers



Rustic Timbers



Woodland Timbers

# Hargrove® Vented Gas Logs

## HARGOVE VENTED LOG SETS

With the Hargrove Radiant Heat logs, you get the additional benefit of more radiant heat. The secret is in the ceramic fiber construction of the Radiant Heat logs. In addition to the benefits the logs provide, a Radiant Riser fits behind the burner and radiates even more heat into the room. All logs carry a lifetime warranty against breakage. Accessories and metal parts have a two year warranty. Each burner component (sold separately) comes with all necessary hardware — decorative silica sand, volcanic cinders, dual effect embers, pedestal grate, ember tray, damper stop, and aluminum connector for installation to a fireplace with a 1/2" natural gas line. Additional options include a millivolt control valve to make the logs remote ready and a safety pilot control which is required in some areas. The safety pilot control and millivolt control kits are sold separately. Save on installation time with the fully assembled remote ready H-Burner with variable flame adjustment control. (Remote Included) available in NG or LP.

## Hargrove Radiant Heat (Ceramic Fiber) Gas Logs

SEE MORE ON THE NEXT PAGE AND PREVIOUS PAGES

Item #	Part #	Gas Log Set Description
Choose log set + Choose a burner (Required to complete the set)		
COP48538	CTS2108RG	21" Cross Timbers — uses 18" burner
03608431	RTS2110RG	21" Rustic Timbers — uses 18" burner
03608434	WTS2116RG	21" Woodland Timbers — uses 18" burner
Product Note: 21" Minimum fireplace opening 18"h x 25"w x 15"d		
COP48539	CTS2409RG	24" Cross Timbers
03608432	RTS2411RG	24" Rustic Timbers
03608435	WTS2418RG	24" Woodland Timbers
Product Note: 24" Minimum fireplace opening 18"h x 28"w x 15"d		
03608430	CTS3010RG	30" Cross Timbers
03608433	CTS3010RG	30" Rustic Timbers
03608436	WTS3020RG	30" Woodland Timbers
Product Note: 30" Minimum fireplace opening 18"h x 34"w x 15"d		

# Hargrove® Vented Gas Logs

HARGOVE VENTED LOG SETS



## RGA 2-72 Approved Vented Burners

Hargrove H-Burner Fully Assembled with variable remote

Product note: Must Choose Gas Type

Item #	Description	
03608437	18RNHB1F5	18" Hargrove NG H-Burner Fully assembled w/ remote
03608438	18RPHB1F5	18" Hargrove LP H-Burner Fully assembled w/ remote
03608439	24RNHB1F5	24" Hargrove NG H-Burner Fully assembled w/ remote
03608440	24RPHB1F5	24" Hargrove LP H-Burner Fully assembled w/ remote
03608441	30RNHB1F5	30" Hargrove NG H-Burner Fully assembled w/ remote
03608442	30RPHB1F5	30" Hargrove LP H-Burner Fully assembled w/ remote

Burner Note: Includes natural gas burner and burn media-everything except the logs.

## RGA 2-72 Approved Vented Burners

Choose log set + Choose a burner (Required to complete the set)

Hargrove E-Burners (Assembly Required)

Item #	Description	
COP48144	18RNEB0A5	18" E-Burner Components Only
COP48149	24RNEB0A5	24" E-Burner Components Only
COP48254	30RNEB0A5	30" E-Burner Components Only

Hargrove H-Burners (Assembly Required)

Item #	Description	
03577876	18RNHB0AS	18" H-Burner Components Only
03577877	24RNHB0AS	24" H-Burner Components Only
03577878	30RNHB0AS	30" H-Burner Components Only

Burner Note: Includes natural gas burner and burn media-everything except the logs.

**Natural Gas and Propane Note:** Standard gas logs are for natural gas use. Local codes may require the addition of a safety pilot control (sold separately) for natural gas logs or may require installation by a licensed plumber. Check with local codes to see if they prohibit and/or require other modifications. For Propane, be sure to order the appropriate size Propane safety pilot kit.

**Legal Note:** State/local codes may restrict gas logs installation. Consult your municipality.



E-Burner



H-Burner

Pilot Controls, Valves, and Cleaner for Vented Gas Logs Are On Next Pages



Gas Safety Pilot Control



Latchtap Valve System with Remote



Millivolt Valve Kit — Remote Ready



Gas Logs Cleaner

## RGA 2-72 Approved Vented BTU Input Ratings

\* The table below shows the input ratings of Hargrove Gas Logs in BTUs per hour. This is a consumption rating chart that shows how much energy is consumed by the gas logs, not how much heat the gas logs are producing. These input ratings are useful for comparing gas consumption of different gas logs and for calculating operating costs. All ratings are in BTUs per hour.

Log Size	Natural Gas	Liquid Propane
18"	70,000	46,000
24"	80,000	63,200
30"	90,000	78,600



# Hargrove® Vented Gas Logs

RGA 2-72 APPROVED ACCESSORIES FOR GAS LOGS



Natural Gas Safety Pilot Control

## Gas Safety Pilot Control — Manual Control

Provides 100% shut off of pilot and main burner gas supply. It has a three-position control knob. If the pilot goes out, or if there is insufficient pilot to provide proper thermocouple output, the gas safety pilot control closes, stopping gas flow completely.

The **NG safety pilot control** for gas logs includes: concentric safety gas valve, concentric heat shield with fiberglass mat, thermocouple and pilot burner assembly, stainless steel extension connector, brass union, and 3/8" FIP×3/8" FL, 3/8"×11/2" black nipple.

The **LP safety pilot kit** for standard gas logs includes a safety pilot control, an air mixer valve, vermiculite, dual effect embers, heat shield, extension handle, hardware, and complete instructions for conversion. Conversion to Propane voids the RGA 2-72 approval.

Item #	Pilot Controls
COP48950	NG Safety Pilot Control, manual control only 18"–30" gas logs
COP48952	LP Safety Pilot Kit, manual control only for 18"–24" standard logs
COP48953	LP Safety Pilot Kit, manual control only for 30" standard logs



Natural Gas/Propane Latchtap Valve System with Remote

## Latchtap Valve System with Remote

The Latchtap Valve System with Remote works with the NG/ Propane safety pilot control (above) to respond to a remote control. The kit contains the valve, a heat shield, and the remote control.

Item #	Valve and Accessories
COP48961	Natural Gas/Propane Latchtap Valve System with Remote Control
COP50104	Replacement Heat Shield for Remote Receiver
COP50106	Decorative Fiber Log Heat Shield for Gas Log Remote Receiver



## Millivolt Valve Kit — Remote Control Ready

Item #	Part#	Gas Log Set Description
COP48956	RME-PO	NG Millivolt Valve Kit
COP48949	RS-PCK-18	Propane Conversion Kit for Millivolt Valve 18'-27"
COP48954	RS-PCK-30	Propane Conversion Kit for Millivolt Valve 30"-36"
COP50100	RCK-IS	Hearth Products Controls Remote with on/off and temperature display — Heat Shield required
COP50102	RCK-KS	Remote With Thermostat
COP50104	242	Heat Shield Cover for Remote Receiver

## Convert RGA 2-72 Logs to Remote Control

Item #	Valve and Accessories
COP48941	<b>Millivolt Safety Pilot Kit with Remote</b> by Skytech. Includes an AF-LMF/R valve kit and a millivolt manual safety pilot kit. Rated at 225° F. Dimensions: 33/4"w × 23/4"h × 4" d.
COP48942	<b>Propane Conversion Kit for Remote Control Millivolt Valve.</b> Converts item #48941 to propane for 18"–20" gas log sets
COP48945	<b>Propane Conversion Kit for Remote Control Millivolt Valve.</b> Converts item #48941 to propane for 24" gas log sets



Skytech Millivolt Safety Pilot Kit



Propane Conversion Kit for Gas Logs



# Gas Logs Accessories

VALVE PARTS, DECORATIVE ACCESSORIES, LOG CLEANER



Manual Gas Cock



Multi-Turn Gas Shut-Off Valves



Brass Shut-Off Keys



Whisper-Flex Gas Connector



Millivolt Wall Thermostat



Ceramic Pine Cones



Ceramic Bark Chip Kit



## Valve Accessories

The **manual gas cock** by Hargrove is rated at 125°F. It features 1/2" female input of 3/8" flare, straight shut off, and a 7" extension handle. California Customer See Warning.

The **multi-turn gas shut-off valves** by Canterbury Enterprises are machined out of solid brass. They are certified by the American Gas Association to withstand up to 90 lbs. of pressure. Available in straight or angled, both with 1/2" pipe thread fittings. Valves come with a 3" x 1/4"-5/16" shut-off key. California Customer See Warning.

**Replacement gas shut-off keys** by Canterbury Enterprises feature a brass finish and have a socket size of 1/4"-5/16". Satin and polished chrome finishes are available special order in 3" and 8" lengths. California Customer See Warning.

**Whisper-Flex gas connectors** by Dormont Mfg. eliminate whistling noise at high BTU gas flows.

The **Millivolt Wall Thermostat** is for vent-free gas logs with a 750 millivolt thermopile. Unit includes wall mount bracket, on/off switch, and temperature adjustment. Do not use with vented gas logs.

Item #	Valve Accessories
COP48960	Manual Gas Cock
00115186	Multi-Turn Brass Valve Angled
00115185	Multi-Turn Brass Valve Straight
COP47125	with 3" x 1/4"-5/16" brass key 3"
COP47128	8"
COP47124	Brass Key 12"
COP47126	with 1/4"-15/16" socket end 18"
COP47129	24"
00525040	Whisper-Flex Gas Connector 18"
00525041	Stainless steel, black 24"
COP48957	Millivolt Wall Thermostat

## Decorative Accessories

A ceramic pine cone adds realism to a gas log installation. The bark chip kit adds a unique feel with four pieces of ceramic bark chips.

Item #	Accessories
COP48980	(A) Small Slanted Ceramic Pine Cone, 3 1/2"h
COP48982	(B) Small Straight Ceramic Pine Cone, 4 1/2"h
COP48984	(C) Large Straight Ceramic Pine Cone, 5 1/2"h
COP48955	Bark Chip Kit, 4 pieces

## ACS Gas Log Cleaner

SaverSystems ACS Gas Log Cleaner is a non-toxic cleaner that safely removes carbon and soot build-up from fireplace gas logs and fireboxes with weekly applications on hot logs. Not for use on vent free, white gas logs, including "Birch", or lightweight fiber logs.

Item #	Part#	Cleaner
00119189	300395	16 oz. bottles, each
COP79100	300003	16 oz. bottles, case of 12

# Gas Logs Accessories

RGAs 2-72 AND CSA/OMNI APPROVED ACCESSORIES



RCK-I Gas Log Remote Control by  
Hearth Products Controls



Heat Shield  
for Gas Log Remote Receiver



Fiber Log Heat Shield for Gas Log  
Remote Receiver



Dual Effect Glowing Embers

## Remote Control Accessories

The **Gas Log Remote Control** by Hearth Products Controls is great for use on all Hargrove vented log sets with millivolt valves. It displays ambient temperature and turns logs on or off. It comes with a five-year warranty. A heat shield is needed for the receiver.

The **Heat Shield** protects your sensitive gas log remote receiver from heat. It is a simple black oxide-coated metal housing with ceramic fiber insulation. Its dark color makes it almost unnoticeable in a gas log installation. The oxide coating helps prevent rust.

The **Fiber Log Heat Shield** hides the gas log controls under a small, realistic-looking log. It improves the look of the gas log set while shielding sensitive components.

Item #	Accessories
COP50100	RCK-I Gas Log Remote Control by Hearth Products Controls. On/off and temperature display — Heat shield required
COP50102	RCK-KS Remote With Thermostat
COP50104	242 Heat Shield Cover for Remote Receiver
COP50106	CFHSM Fiber Log Heat Shield for Gas Log Remote Receiver

## Embers Accessories

**Dual effect glowing embers** is a vermiculite and rock wool mixture used to replace the original material to recreate those like new, realistic glowing embers.

**Silica sand** maximizes diffusion of natural gas in the burner pan. Vermiculite replaces silica sand in propane installations, also increases glow with natural gas. Lava rock (also called volcanic cinders) is used to renew or replace the original rocks that came with the logs. Rock wool provides the bright ember effect with gas logs.

Item #	Part#	Embers Accessories	
COP48910	EM	Dual Effect Glowing Embers	1 1b. Bag
COP48911	EM-10	Dual Effect Glowing Embers	10 1b. Bag
COP48915	SD-10	Silica Sand	8 1b. Bag
COP48916	SD-50	Silica Sand	50 1b. Bucket
COP48920	VC	Lava Rock (volcanic cinders)	5 1b. Bag
COP48925	#VM	Vermiculite	1 1b. Bag
COP48926	VM-10	Vermiculite	10 1b. Bag
COP48914	RW-1	Rock Wool	8 oz. Bag
COP48913	#RW-10	Rock Wool	10 1b. Bag



## Gas Vent Hood for Fireplace

Improve the heat output of the fireplace while protecting the mantel and surrounding areas with a HY-C Fireplace Vent Hood. As heat rises, the hood directs heated air downward away from the fireplace and out into the room. The adjustable style fits most masonry fireplaces. Includes mounting hardware to surface mount at the front of the fireplace. 3½"×3½". Adjusts approximately 24"-48". Made in the USA.

Item #	Part#	Description
03589582	FAH-BLK	Vent Free Fireplace Hood, Black



# Hargrove® Vent-Free Gas Logs

## BEAUTIFUL LOGS FOR ANY FIREPLACE

Hargrove’s Cumberland Char vent-free gas logs feature beautifully detailed refractory logs. The Ember-Trio burner system efficiently delivers natural flame patterns, warm radiant heat, and impressive glowing embers.

The Highland Glow features a low profile Dual Glow burner system and combines glowing embers, heavily charred, glowing ceramic fiber front logs and wonderfully detailed refractory top logs, to give the hearth a lovely fire and cozy winter comfort.

The Weathered Oak features a large front split log and multiple flame heights between top twigs.

Cumberland Char, Highland Glow and Weathered Oak are each available with a manually operated safety pilot control or the convenient variable flame height control system, for both natural gas and liquid propane. A thermostatic remote is available for the variable flame system.



Cumberland Char



Highland Glow



Weathered Oak



Thermostatic Variable Flame Remote Control  
adjusts flame height

## Hargrove® Vent-Free Gas Logs

Item #	Gas Log Models	Minimum Fireplace Opening
Cumberland Char Vent-Free With Manual Valve		
COP48555	18" Log Set, natural gas	16"h × 28"w × 12"d
COP48556	18" Log Set, Propane	16"h × 28"w × 12"d
COP48560	24" Log Set, natural gas	16"h × 32"w × 12"d
COP48561	24" Log Set, Propane	16"h × 32"w × 12"d
Highland Glow Vent-Free Gas Logs Sets With Manual Valve		
03608452	22" Log Set, Propane	16"h × 28"w × 12"d
COP48770	22" Log Set, natural gas	16"h × 28"w × 12"d
COP48772	26" Log Set, Propane	16"h × 30"w × 12"d
COP48780	26" Log Set, natural gas	16"h × 30"w × 12"d
Cumberland Char Vent-Free With Variable Flame		
COP48557	18" Log Set, natural gas	16"h × 28"w × 12"d
COP48562	24" Log Set, natural gas	16"h × 32"w × 12"d
COP48563	24" Log Set, Propane	16"h × 32"w × 12"d
Highland Glow Vent-Free Gas Logs Sets With Variable Flame		
COP48774	22" Log Set, natural gas	16"h × 28"w × 12"d
COP48782	22" Log Set, Propane	16"h × 28"w × 12"d
COP48776	26" Log Set, natural gas	16"h × 30"w × 12"d
COP48784	26" Log Set, Propane	16"h × 30"w × 12"d
Weathered Oak Vent-Free With Manual Valve		
03608419	18" Log Set, natural gas	16"h × 27"w × 12"d
03608420	18" Log Set, Propane	16"h × 27"w × 12"d
03608421	24" Log Set, natural gas	16"h × 27"w × 12"d
03608422	24" Log Set, Propane	16"h × 27"w × 12"d
Weathered Oak Vent-Free Gas Logs millivolt valve, remote ready		
03608423	18" Log Set, natural gas	16"h × 27"w × 12"d
03608424	18" Log Set, Propane	16"h × 27"w × 12"d
03608425	24" Log Set, natural gas	16"h × 27"w × 12"d
03608426	24" Log Set, Propane	16"h × 27"w × 12"d
Product Note: The Weathered Oak can use a on/off remote or t-stat remote control		
Remote Control		
COP48564	RC-S6V-MXT Thermostatic Variable Flame Remote Control for Highland Glow and Cumberland Char variable gas log sets only	

### Hargrove Vent-Free Gas Log Sets BTU Input Ratings

Cumberland Char	Natural Gas Consumption	Liquid Propane Consumption
18" log set	21,000 - 30,000 BTU's/hr.	20,000-27,000 BTUs/hr.
24" log set	25,000 - 35,000 BTU's/hr.	23,000-31,000 BTUs/hr.
Highland Glow	Natural Gas Consumption	Liquid Propane Consumption
22" log set	24,000 - 32,000 BTU's/hr.	23,500-32,000 BTUs/hr.
26" log set	29,000 - 40,000 BTU's/hr.	23,500-33,000 BTUs/hr.
Weathered Oak	Natural Gas Consumption	Liquid Propane Consumption
18" log set	26,000 - 36,000 BTU's/hr.	25,000-33,000 BTUs/hr.
24" log set	26,000 - 36,000 BTU's/hr.	25,000-33,000 BTUs/hr.



# Hargrove® Vent-Free Gas Logs

BEAUTIFUL LOGS FOR ANY FIREPLACE



Cimarron Timbers



Cimarron Timbers Burner System

The Cimarron Timbers incorporates Hargrove's Radiant Heat Technology into a vent free set

- Radiant Heat that can be felt immediately
- Beautiful glowing logs
- Dual certified for Vent-Free or Vented operation
- Available in 24" and 30" sizes
- Available in NG or LP
- Available Millivolt Valve

## Hargrove® Vent-Free Gas Logs

Item #	Gas Log Models	Minimum Fireplace
Cimarron Timbers Vent-Free With Milivolt Valve		
03609481	RGCI24N2C - 24" Cimarron Timbers - NG millivolt valve; remote ready - Vent Free Log Set	17"h x 28"w x 14.5"d
03609482	RGCI30N2C - 30" Cimarron Timbers - NG millivolt valve; remote ready - Vent Free Log Set	17"h x 38"w x 14.5"d
03609483	RGCI24NP2C - 24" Cimarron Timbers - LP millivolt valve; remote ready - Vent Free Log Set	17"h x 28"w x 14.5"d
03609484	RGCI30P2C - 30" Cimarron Timbers - LP millivolt valve; remote ready - Vent Free Log Set	17"h x 38"w x 14.5"d

## Hargrove Vent-Free Gas Log Sets BTU Input Ratings

Cimarron Timbers	Natural Gas Consumption	Liquid Propane Consumption
24" log set	Up to 39,000 BTU's/hr.	Up to 37,000 BTUs/hr.
30" log set	Up to 39,000 BTU's/hr.	Up to 37,000 BTUs/hr.

Item #	Gas Log Models	Descript
Options		
03609485	RC S12V MV	MV Kit includes 12V DC remote/receiver remote features: on/off function
03609486	RC I12V BT	BT Kit includes 12VDC Remote/Receiver & Bluetooth smart phone capability
03609487	BT IBUG	IBUG Includes Bluetooth Module Control for smart phone capability
03609488	RC S12V MVT	MVT Thermostatic on/off function
03609489	RC A110V A	Requires 110 volt A/C electricity remote features: on/off function, child proof switch
COP48957	TST	Millivolt Wall Thermostat



# Napoleon® Gas Logs

## VENTED AND VENT-FREE GAS LOG SETS

- GL Series Vented Gas Log Sets feature Phazer® logs and large charcoal embers to create a unique Yellow Dancing Flames effect
- Infrared heat radiates into room for additional heat other gas logs don't have
- Electronic ignitor with millivolt remote control gas valve
- Available in three sizes
- California Customer See Warning Below

Each set requires a minimum size fireplace opening — see below. Allow additional 4"–6" height (over minimum) for optimum flame appearance.

### GL18/24/30 Fiberglow™ Vented Gas Log Sets

Item #	Part #	Description	Minimum Fireplace Opening
Choose log set			
00272253	GL18NE	18" Natural Gas, 55,000 BTUs	18"h × 22"w × 14"d
00272254	W175-0347	18" Conversion Kit (natural Gas to propane)	
00272255	GL24NE	24" Natural Gas, 60,000 BTUs	18"h × 28"w × 14"d
00272256	W175-0348	24" Conversion Kit (natural Gas to propane)	
00272257	GL30NE	30" Natural Gas, 65,000 BTUs	18"h × 34"w × 14"d
00272258	W175-0346	30" Conversion Kit (natural Gas to propane)	
Options			
00272249	F45	Hand Held Remote Control. Napoleon, on/off control	



F45 Remote



### Napoleon® GVFL Fiberglow™ Vent-Free Gas Logs Sets

- Exclusive Phazeramic infrared ceramic burner technology featuring the realistic and natural wood looking logs
- Infrared heat radiates into room for additional heat other gas logs don't have
- Millivolt remote control gas valve with built-in adjustable flame and heat control
- Up to 40,000 BTU's
- Available in 3 sizes and in natural gas or propane
- California Customer See Warning Below

Each set requires a minimum size fireplace opening — see below. Allow additional 4"–6" height (over minimum) for optimum flame appearance.



Remote Options

Item #	Part #	Description	Minimum Fireplace Opening
Choose log set			
COP16844	GVFL18N	18" NG, 40,000 BTUs	18"h × 22"w × 14"d
COP16845	GVFL18P	18" LP, 40,000 BTUs	18"h × 22"w × 14"d
COP16846	GVFL24N	24" NG, 40,000 BTUs	18"h × 28"w × 14"d
COP16847	GVFL24P	24" LP, 40,000 BTUs	18"h × 28"w × 14"d
COP16848	GVFL30N	30" NG, 40,000 BTUs	18"h × 34"w × 14"d
COP16849	GVFL30P	30" LP, 40,000 BTUs	18"h × 34"w × 14"d
Options			
00272249	F45	Hand Held On/Off Remote Control	
00272250	F60	Hand Held On/Off Remote Control with T/stat	





Arizona Weathered Oak



Arizona Western Driftwood



Quaking Aspen

# Grand Canyon Vented Gas Logs

## VENTED GAS LOG SETS

All Logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory and stainless-steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

**Arizona Weathered Oak Collection** - These logs were found in the mountains of the Northern Arizona forest. In fact, all of the logs that make up this collection were gathered from one tree that was hit by lightning more than 40 years ago. The effects of the lightning strike created bulges, twisting and cracking in the wood which are unique to our Arizona Weathered Oak Collection.

**Arizona Western Driftwood Collection** - Aptly named, this beautiful set of timber was conceived with one of the world’s 7 natural wonders in mind - The Grand Canyon. This most recent addition to the company’s line of hand-crafted gas logs resembles the natural terrain of the Grand Canyon along the sun baked banks of the Colorado River. Scorching summers and cool wet winters served as inspiration behind such detail. It features a washed-out, sun-bleached exterior against rich gray tones and bright white elements creating the backdrop for deep, cracking, splitting in-the-woods bark. We recommend the Western Driftwood log set as the perfect option for any transitional design.

**Quaking Aspen Collection** - Here is Grand Canyon Gas Logs' signature birch set. This traditional birch log set balances the cream whites with the scarred black bark from the winter snows.

Item #	Part #	Gas Log Set
Arizona Weathered Oak		
03609935	AWO18LOGS	18" AZ WEATHERED OAK LOGS 6 PC SET- LOGS ONLY
03609936	AWO24LOGS	24" AZ WEATHERED OAK LOGS 7 PC SET- LOGS ONLY
03609937	AWO30LOGS	30" AZ WEATHERED OAK LOGS 8 PC SET- LOGS ONLY
03609938	AWO36LOGS	36" AZ WEATHERED OAK LOGS 9 PC SET- LOGS ONLY
Arizona Western Driftwood		
03609943	DRIFTWOOD18LOGS	18" DRIFTWOOD LOGS 6 PC SET- LOGS ONLY
03609944	DRIFTWOOD24LOGS	24" DRIFTWOOD LOGS 7 PC SET- LOGS ONLY
03609945	DRIFTWOOD30LOGS	30" DRIFTWOOD LOGS 8 PC SET- LOGS ONLY
03609946	DRIFTWOOD36LOGS	36" DRIFTWOOD LOGS 9 PC SET- LOGS ONLY
Quaking Aspen		
03609939	ASPEN18LOGS	18" QUAKING ASPEN LOGS 5 PC SET- LOGS ONLY
03609940	ASPEN24LOGS	24" QUAKING ASPEN LOGS 7 PC SET- LOGS ONLY
03609941	ASPEN30LOGS	30" QUAKING ASPEN LOGS 8 PC SET- LOGS ONLY
03609942	ASPEN36LOGS	36" QUAKING ASPEN LOGS 9 PC SET- LOGS ONLY



Arizona Weathered Oak Fire Pit Logs Only

## Indoor/Outdoor Fire Pit Logs

Item #	Part #	Description
AZ Weathered Oak Fire Pit Logs (Only)		
03609994	FPAWO-18/24	18/24 - Weathered Oak Log 9 PC Log Set
03609995	FPAWO-30/36	30/36 - Weathered Oak Log 16 Pc Log Set

Can be used with existing vented burners



# Grand Canyon Vented Gas Logs -Burners

GRAND CANYON VENTED LOG SETS

## Assembled Modulating Millivolt System

### 2 Burner Natural Gas or LP w/Modulating Millivolt and Remote System

Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled system are a plug and play approach.

*Product note: Must Choose Gas Type*

Item #	Description	
03609947	2BRN-18-NG-MMVR	18" 2 Burner Natural Gas w/Modulating Millivolt and Remote System
03609948	2BRN-18-LP-MMVR	18" 2 Burner Propane w/Modulating Millivolt and Remote System
03609949	2BRN-24-NG-MMVR	24" 2 Burner Natural Gas w/Modulating Millivolt and Remote System
03609950	2BRN-24-LP-MMVR	24" 2 Burner Propane w/Modulating Millivolt and Remote System
03609951	2BRN-30-NG-MMVR	30" 2 Burner Natural Gas w/Modulating Millivolt and Remote System
03609952	2BRN-30-LP-MMVR	30" 2 Burner Propane w/Modulating Millivolt and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
18"	30"	14"	18"	14"	52k	49k
24"	36"	14"	24"	14"	64k	64k
30"	42"	16"	30"	14"	76k	79k



**2-Burner** MMVR- NG/LP Modulating Millivolt and Remote System

### 3 Burner Natural Gas w/Modulating Millivolt and Remote System

Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled system are a plug and play approach.

*Product note: Must Choose Gas Type*

Item #	Description	
03609953	3BRN-24-NG-MMVR	24" 3 Burner Natural Gas w/Modulating Millivolt and Remote System
03609954	3BRN-24-LP-MMVR	24" 3 Burner Propane w/Modulating Millivolt and Remote System
03609955	3BRN-30-NG-MMVR	30" 3 Burner Natural Gas w/Modulating Millivolt and Remote System
03609956	3BRN-30-LP-MMVR	30" 3 Burner Propane w/Modulating Millivolt and Remote System
03609957	3BRN-36-NG-MMVR	36" 3 Burner Natural Gas w/Modulating Millivolt and Remote System
03609958	3BRN-36-LP-MMVR	36" 3 Burner Propane w/Modulating Millivolt and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
24"	36"	14"	24"	16"	74k	64k
30"	42"	16"	30"	16"	102k	91k
36"	48"	16"	36"	16"	111k	106k



**3-Burner** MMVR- NG/LP Modulating Millivolt and Remote System

# Grand Canyon Vented Gas Logs -Burners

GRAND CANYON VENTED LOG SETS

## Assembled Battery Electronic Ignition System

### 2 Burner Assembled Battery Electronic Ignition System

Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled system are a plug and play approach.

**Product note: Must Choose Gas Type**

Item #	Description	
03609959	2BRN-18-NG-MVKEI-GCRK	18" 2 Burner Natural Gas w/Battery Electronic and Remote System
03609960	2BRN-18-LP-MVKEI-GCRK	18" 2 Burner Propane w/Battery Electronic and Remote System
03609961	2BRN-24-NG-MVKEI-GCRK	24" 2 Burner Natural Gas w/Battery Electronic and Remote System
03609962	2BRN-24-LP-MVKEI-GCRK	24" 2 Burner Propane w/Battery Electronic and Remote System
03609963	2BRN-30-NG-MVKEI-GCRK	30" 2 Burner Natural Gas w/Battery Electronic and Remote System
03609964	2BRN-30-LP-MVKEI-GCRK	30" 2 Burner Propane w/Battery Electronic and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
18"	36"	14"	24"	14"	52k	49k
24"	42"	14"	30"	14"	64k	64k
30"	48"	16"	36"	14"	76k	79k

### 3 Burner Assembled Battery Electronic Ignition System

Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled system are a plug and play approach.

**Product note: Must Choose Gas Type**

Item #	Description	
03609965	3BRN-24-NG-MVKEI-GCRK	24" 3 Burner Natural Gas w/Battery Electronic and Remote System
03609966	3BRN-24-LP-MVKEI-GCRK	24" 3 Burner Propane w/Battery Electronic and Remote System
03609967	3BRN-30-NG-MVKEI-GCRK	30" 3 Burner Natural Gas w/Battery Electronic and Remote System
03609968	3BRN-30-LP-MVKEI-GCRK	30" 3 Burner Propane w/Battery Electronic and Remote System
03609969	3BRN-36-NG-MVKEI-GCRK	36" 3 Burner Natural Gas w/Battery Electronic and Remote System
03609970	3BRN-36-LP-MVKEI-GCRK	36" 3 Burner Propane w/Battery Electronic and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
24"	36"	14"	24"	16"	74k	64k
30"	42"	16"	30"	16"	102k	91k
36"	48"	16"	36"	16"	111k	106k



**2-Burner MVKEI - NG/LP Assembled Battery Electronic Ignition System**



**3-Burner MVKEI - NG/LP Assembled Battery Electronic Ignition System**

# Grand Canyon Vented Gas Logs Media

GRAND CANYON VENTED MEDIA

## Grand Canyon Vented Logs Accessories/Media

Item #	Part#	Description
03609971	HP-B-R-10	BLACK VOLCANIC ROCK- 10 POUND BAG
03609972	NL-5080	2"-3" LAVA PEBBLES- 50 LB BAG
03609973	GLE-6B	BAG BLACK GLOWING EMBERS- 6 OZ BAG
03609974	CB4-8-B	4" CANNON BALL, 8 PC SET- BLACK
03609975	CB4-8-DGY	4" CANNON BALL, 8 PC SET- DARK GRAY
03609976	CB6-4-B	6" CANNON BALL, 4 PC SET- BLACK
03609977	CB6-4-DGY	6" CANNON BALL, 4 PC SET- DARK GRAY



Lava Rock  
Available in 10 lb. Bags  
Item # HP-B-R-10



2"- 3" Lava Pebbles  
Available in 50 lb. Bags  
Item # NL-5080



6 oz Bag  
Item # GLE-6B



4" Black Cannon Balls GLE-6B



4" Dark Gray Cannon Balls CB4-8-DGY



6" Dark Gray Cannon Balls CB6-4-B



6" Dark Gray Cannon Balls CB6-4-DGY





Weathered Oak Vent Free Logs



Split Oak Vetn Free Logs



IPI Electronic with Burner  
Puck Remote included  
with this Variable Electronic  
model only.

# Grand Canyon Vent Free Gas Logs

## VENT FREE GAS LOG SETS

VENT FREE LOGS - Grand Canyon Gas Logs vent less gas log systems feature our Vulcan Burner & Boutique style logs. The Vulcan burner is available in Natural Gas or Liquid Propane, available with 3 different valve options & designed to be installed with any of our Boutique style logs. The burner is also duly listed for vented & vent less applications. The valve systems feature an exceptional turn down from 37K–19K BTU’s on the electronic & variable valves. The grate also features a natural wood style looking grate, enhanced deep ember bed & large lava rock to soften the embers edge. The 24” burner can be installed with 24” or 30” logs. The boutique style logs are available in Weathered Oak or Split Oak. All of our logs are hand picked, hand painted & feature a ceramic refractory to help radiate more heat.

### Grand Canyon Vent Free Logs

Item #	Part #	Description
Weathered Oak		
03609988	VFWO24	Weathered Oak 24" Log Set
03609989	VFWO30	Weathered Oak 30" Log Set
Split Oak		
03609990	VFSO24	Split Oak 24"Log Set
03609991	VFSO30	Split Oak 30"Log Set

## Grand Canyon Vent Free Burners

VENT FREE BURNERS - Vent Free Burners come factory mounted with valves, pilots & ignition system. All Canyon Series Vent Free Burners also are factory tested and dual certified to the vented and vent free ANSI standards.

Item #	Part #	Description
Variable Electric Vent Free Burner		
03609992	VFVUL24/30EN	24/30" NG Burner
03609993	VFVUL24/30EP	24/30" LP Burner

GRAND CANYON GAS LOGS: LOGS - ALL CANYON SERIES VENT FREE BURNERS COME WITH VALVES, PILOTS & IGNITION SYSTEM. ALL CANYON SERIES VENT FREE BURNERS ARE ALSO FACTORY TESTED AND DUAL CERTIFIED TO THE VENTED & VENT FREE ANSI STANDARDS.

### Features:

- 24" burners accepts both 24" and 30" Logs
- IPI Electronic Ignition w/Manual or Rmote Flame Adjustment
- Includes Puck Remote
- Includes Connection Fittings, Lava Rock, Black Embers & Platinum Embers

## Grand Canyon Vent Free Specifications

Fireplace floor size for burners when connected to gas line in fireplace directly									
Fireplace Size Requirement Chart		Min. Fireplace Dimensions				BTU's Natural Gas		BTU's Propane	
Burner Size	Loa Size	Front	Rear	Depth	Heiaht	Low	Hiah	Low	Hiah
24"	24"	28"	20"	14"	18"	19K	37K	19K	37K
24"	30"	34"	20"	14"	18"	19K	37K	19K	37K

# Grand Canyon Vented Contemporary Burners

CONTEMPORARY BURNERS



Glass Burner - MMVR NG Modulating Millivolt and Remote System - Vented Contemporary Glass Burner



Glass Burner - MVKEI - NG Battery Electronic and Remote System - Vented Contemporary Glass Burner

## VENTED CONTEMPORARY- GLASS BURNERS Assembled

Item #	Part #	Description
NG Modulating Millivolt and Remote System		
03609978	GLASSBRN-24/12-H-NG-MMVR	Assembled 24" Glass Burner Natural Gas w/Modulating Millivolt and Remote System
03609979	GLASSBRN-30/12-H-NG-MMVR	Assembled 30" Glass Burner Natural Gas w/Modulating Millivolt and Remote System
03609980	GLASSBRN-36/14-H-NG-MMVR	Assembled 26" Glass Burner Natural Gas w/Modulating Millivolt and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
24"	36"	14"	24"	10"	64k	64k
30"	42"	16"	30"	10"	76k	79k
36"	48"	16"	36"	10"	81k	83k

Item #	Part #	Description
NG Battery Electronic and Remote System		
03609981	GLASSBRN-24/12-H-NG-MVKEI-GCRK	Assembled 24" Glass Burner Natural Gas w/Battery Electronic and Remote System
03609982	GLASSBRN-30/12-H-NG-MVKEI-GCRK	Assembled 30" Glass Burner Natural Gas w/Battery Electronic and Remote System
03609983	GLASSBRN-36/14-H-NG-MVKEI-GCRK	Assembled 36" Glass Burner Natural Gas w/Battery Electronic and Remote System

MINIMUM FIREPLACE SIZES						
SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
24"	42"	14"	30"	10"	64k	64k
30"	48"	16"	36"	10"	76k	79k
36"	54"	16"	42"	10"	81k	83k



APOLLO BRONZE



KRYSTALLO DIAMOND



POSEIDON BLUE



VESPER BLACK

## VENTED CONTEMPORARY MEDIA






Item #	Part #	Description
03609983	RFG-10-AB	1/2" APOLLO REFLECTIVE GLASS PRICED PER LB. (BRONZE)
03609983	RFG-10-KD	1/2" KRYSTALLO REFLECTIVE GLASS PRICED PER LB. (STARFIRE)
03609983	RFG-10-PB	1/2" POSEIDON REFLECTIVE GLASS PRICED PER LB. (COBALT)
03609983	RFG-10-VB	1/2" VESPER REFLECTIVE GLASS PRICE PER LB. (BLACK)

Note: Glass Sold in 10 Lb Bags

# Skytech Universal Accessories

UNIVERSAL ACCESSOIRES

## Universal Remotes, Valves & Blowers

Item #	Part #	Description
Remote Controls		
03609515	1001-A	<p>The <b>1001-A remote control</b> system was developed to provide safe, reliable, user-friendly remote control system for gas heating appliances. The system can be operated manually from the transmitter. It is designed to be used with milivolt gas valves as a dry contact switch.</p> 
03609516	1001TH-A	<p>The <b>1001TH-A remote control</b> system was developed to provide a safe, reliable, and user-friendly remote control system for gas heating appliances. It has a built-in thermostat. This all battery system operates independently of household current. It also operates on radio frequencies (RF) within a 20-foot range using non-directional signals.</p> 
03609517	3301P2	<p>The <b>3301P2 remote control</b> system was developed to provide a safe, reliable, and user-friendly remote control system for gas heating appliances. The system can be operated thermostatically, manually, or with the built-in factory program inside the transmitter.</p> 
03609511	3002	<p><b>Skytech 3002 Timer/Thermostat Fireplace Remote Control</b> provides wireless thermostatic and timer control of a gas heating fireplace with the simple click of a button. The remote control transmitter runs on (2) 1.5V AAA batteries and features an LCD display that uses a user friendly interface, with MODE/SET/TIMER&amp;TIME and two directional arrow buttons to communicate wirelessly to a receiver that operates on (4) AA batteries. The receiver connects to all standard millivolt valves, and can be mounted up to 20 feet away from the fireplace. Enjoy the ambience of a cozy fire, control the temperature of the room, and benefit from the use of a timer function without sacrificing the comfort of your seat using this fireplace remote control from Skytech.</p> 
03609512	3301	<p><b>Skytech 3301 Timer/Thermostat Fireplace Remote Control</b> provides wireless thermostatic and timer control of a gas heating fireplace with the simple click of a button. The remote control transmitter runs on (2) 1.5V AAA batteries and features an LCD display that uses a 5 button (MODE/UP/DOWN/SET/TIMER&amp;TIME) interface to communicate wirelessly to a receiver that operates on (4) AA batteries. The receiver connects to all standard millivolt valves, and can be mounted up to 20 feet away from the fireplace. Enjoy the ambience of a cozy fire, control the temperature of the room, and use the timer function all without sacrificing the comfort of your seat using this fireplace remote control from Skytech.</p> 



# Skytech Universal Accessories






UNIVERSAL ACCESSOIRES

Item #	Part #	Description
Remote Controls (Continued)		
03609513	5301	<p><b>Skytech 5301 Timer/Thermostat Fireplace Remote Control</b> With Backlit Touch Screen provides wireless thermostatic and timer control of a gas heating fireplace with the simple touch of a button. The remote control transmitter runs on (4) 1.5V AAA batteries and features a backlit LCD touch screen to communicate wirelessly to a receiver that operates on (4) AA batteries. The receiver can be mounted up to 20 feet away from the fireplace and connects to all standard millivolt valves. Enjoy the ambience of a cozy fire, control the temperature of the room, and set a timer on the appliance, all without sacrificing the comfort of your seat using this fireplace remote control from Skytech.</p>
03609518	5301P	<p><b>Skytech 5301P Programmable Fireplace Remote Control</b> With Backlit Touch Screen provides wireless programmable thermostatic control of gas a heating fireplace with the simple touch of a button. The remote control transmitter runs on (4) 1.5V AAA batteries and features a backlit LCD touch screen to communicate wirelessly to a receiver that operates on (4) AA batteries. The receiver can be mounted up to 20 feet away from the fireplace and connects to all standard millivolt valves. Enjoy the ambience of a cozy fire, and customize the appliance's settings with unique programming features without sacrificing the comfort of your seat using this fireplace remote control from Skytech.</p>



# Skytech Universal Accessories

## UNIVERSAL ACCESSOIRES

Item #	Part #	Description
<b>Valve Controls</b>		
03609514	8001	<p><b>On/Off Voice Compatible Remote</b> - Control your fireplace with any Smart Home System! The 8001 is for users that DO NOT own a compatible On/Off Skytech Remote Systems. The 801 includes the Wall Switch and Accessoires, Transmitter, Reciever and Adapter. Time to let go of the hassle of operating your fireplace by hand. With the SkyTech voice remote control kit, you will be able to add your fireplace to the list of household appliances you can now control with your home's smart speaker. The kit is easy to install, and once set up you will never again need to press another button or move from your comfortable spot on the couch to summon dazzling flames or extinguish them on command.</p> 
03609519	AF-LMF	<p><b>Skytech AF-LMF Manual Fireplace Gas Valve Control Kit</b> - This natural gas safety pilot kit is designed to be used with 18 to 30-inch gas log sets purchased separately as a complete valve kit. These control systems were developed to provide a safe, reliable, user-friendly remote control system for gas heating appliances.</p> 
03609521	AF-LMF-RV	<p><b>Skytech AF-LMF/R Manual On/Off Gas Valve Kit</b> with On/Off Remote was developed to provide safe, reliable, and user-friendly control for gas heating appliances. This valve kit is designed for use with 18- to 30-inch gas log sets and features a remote control transmitter that allows remote On/Off control. The AF-LMF/R features a manual On/Off gas valve with solenoid and includes a complete pilot assembly with 30-millivolt thermocouple, damper clamp, and all connectors for the main burner and pilot. The kit is for use with natural gas vented logs, an optional propane conversion kit is available and sold separately.</p> 
03609522	AFVK-SP	<p><b>Skytech AFVK-SP Manual High/Low Spark to Pilot Gas Valve Kit with On/Off Remote features Electronic Pilot Ignition / For Vented Gas Logs</b></p> 
03609523	AFVK-SP-MH-L	<p><b>Skytech AFVK-SP-MH/L Manual Hi/Lo Spark to Pilot Gas Valve Kit with On/Off/Hi/Lo Remote</b> was developed to provide safe, reliable, user-friendly control for gas heating appliances. These intermittent pilot ignition (IPI) gas valve kits are set up for natural gas and are designed to be used with 18 to 30-inch gas log sets. Optional propane gas conversions kits, LPK-18 or LPK-24, are available. The AFVK-SP-MH-L has a manual Hi/Lo gas valve on the unit itself, and features a remote control with On/Off/High/Low function and On/Off continuous pilot option.</p> 

# Skytech Universal Accessories

## UNIVERSAL ACCESSOIRES

Item #	Part #	Description	
Replacement Blowers			
03609524	F-165-1	<p><b>Skytech F-165-1 Replacement Fan</b> for GFK-4 Fan Kit offers an efficient way to circulate room air through some of the industry's top hearth products. This unit operates on 120VAC, 60 Hz power, and increases the amount of air the fan will circulate through your fireplace or stove to 165 CFM (Cubic Feet per Minute). The increase in circulation allows the room temperature to heat more quickly, and maintain a consistent temperature, which also improves the energy efficiency of your appliance to save on energy costs.</p>	
03609525	F-180-1	<p><b>Skytech F-180-1 Replacement Fan</b> for GFK-160 Fan Kit offers an efficient way to circulate room air through some of the industry's top hearth products. Specifically, it is an exact replacement for the Heat N Glo Hearth &amp; Home Fan Kit. This unit operates on 120VAC, 60 Hz power, and increases the amount of air the fan will circulate through your fireplace or stove from 160 CFM to 180 CFM (Cubic Feet per Minute). The increase in circulation allows the room temperature to heat more quickly and maintain a consistent temperature, which also improves the energy efficiency of your appliance to save on energy costs.</p>	
03609526	FK-165-ESC	<p><b>The FK-165-ESC Fan Kit</b> has been designed as a retrofit or new fan kit to circulate room air through many hearth products in the industry. The FK-165-ESC operates on 120VAC, 60Hz power.</p>	
03609527	FK-165-RT	<p><b>The FK-165-RT fan kit</b> has been designed to circulate room air through many hearth products in the industry. It operates on 120VAC, 60Hz power.</p>	
03609528	FK-180-ESC	<p><b>Skytech FK-ESC Universal Solid State Speed Control</b> is an exact replacement for the speed controller in the FK-180-ESC (or GFK-160B) fireplace blower kit. If the speed controller of your fireplace fan kit needs to be replaced, this speed control kit is the perfect solution.</p>	
03609529	FK-180-RT	<p><b>The Skytech FK-180 Universal Fan Kit</b> is designed to circulate room air through many hearth products in the industry.</p>	



**COPPERFIELD  
CHIMNEY SUPPLY, INC**

600 Sanders Street  
Scranton, PA 18505

**Locations**

- Bridgeport, NJ
- Cleveland, OH
- Reno, NV
- Scranton, PA

**Customer Support:**

1-800-247-3305 Or 800-569-1425

**Technical Support:**

800-256-1926 or 844-814-3002

**Fax:**

800-272-5156 or 866-237-0593

[www.copperfield.com](http://www.copperfield.com)

