



Hearth Accessories

Dealer Guide Price Guide

May 15, 2023

Table of Contents

	<i>Page</i>
Hearth Accessories	3, 4, 5
Bellows	6
Stove Accessories	7
Hearth Rugs	8
Fire Starter Gofts and Fatwood	9
Firestarters	10
Log Racks, Gloves	11
Log and Ash Carriers	12
Firebacks	13
Fireplace Grates	17
Safety Screens, Glass Doors	15
Glass Doors	16, 17
Stove Boards	18, 19, 20, 21,
Air Circulators	22
Stove Add-Ons	23
Stove Service	24, 25
Paint	26, 27
Specialty Paints	28
Creosote Removers	29
Chimney Maintenance	30
Vacuums	31
Hearth Cleaners	32, 33
Home Safety	34

Minuteman Hearth Accessories

- Handcrafted with traditional hammer and anvil method
- Each piece is individually hand-forged and hand-welded
- Tool set rods are made of solid brass or steel

Minuteman products are individually handcrafted to particular specifications, using a variety of manufacturing techniques and materials.

Minuteman's in-house design team brings together varied expertise—mechanical engineering, architecture, fine art, sculpture, and metallurgy, to create and develop a wide array of products.

Its quality and durability withstands both indoor and outdoor use.



Minuteman Wrought Iron Tools À La Carte

Item #	Tool Description	Each
COP71899	Hanger - 4-hook hanger, 18"	45.25
COP71891	Poker - Twisted rope design, 28"	27.11
COP71890	Broom Twisted rope design, 28"	35.04
COP71893	Tongs Twisted rope design, 28"	42.13
COP71892	Shovel Twisted rope design, 28"	33.90
COP71896	Hook Single hook hanger	7.22



Minuteman Tool Set
4-piece, black powder coat finish, shepherd's crook, 33"h



Minuteman Oil-Rubbed Bronze Tool Set
5-piece, twisted rope design, 30"h

Item #	Each
COP71886	189.79

Item #	Each
03576972	226.45



Minuteman Mission Style Screen
Black wrought iron with doors, 39"w x 31"h

Item #	Each
03576971	255.43



Minuteman Natural Vintage Iron Screen
38"w x 30"h

Item #	Each
03576970	166.29



Minuteman Wood Basket
Black, 21 1/2"w x 10"h x 25 1/2"l

Item #	Each
COP71265	124.65



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hearth Accessories



Selene Tool Set
5-piece, black finish, scroll handles, 29.5"h

Item #	Each
03579726	129.55

Item # Ships Factory Direct



Iris Scroll Tool Set
5-piece, black, scroll handles, 30"h

Item #	Each
03577228	108.75

Item # Ships Factory Direct



Waverly Tool Set
5-piece, colonial brown finish, 29"h

Item #	Each
03581865	91.96

Item # Ships Factory Direct



Atticus Tool Set
4-piece, Gun-metal finish, 7"w x 30"h x 13½"l

Item #	Each
03579723	172.89

Item # Ships Factory Direct



Wood Holder with Tools
Black, 13"w x 30"h x 15"l

Item #	Each
03581863	106.7

Item # Ships Factory Direct



Black Wrought Iron Log Holder
Canvas carrier, 14"w x 17.3"h x 17"l


Item #	Each
03581861	80.43

Item # Ships Factory Direct



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hearth Accessories



Iris Scroll Black Screen
Center screen 24.02"w × 30"h,
side screens 11.8"w × 27¾"h

Item #	Each
03579735	121.34


Item # Ships Factory Direct



Fortna 3-Panel Fireplace Screen
Antique Black, center screen 25.98"w × 32"h,
side screens 12.8"w

Item #	Each
03581866	149.93

Item # Ships Factory Direct



Classic 3-Panel Fireplace Screen
Antique Black, center screen 25¼"w × 32"h,
side screens 12"w

Item #	Each
3581862	77.21

Item # Ships Factory Direct



Minuteman Spandrels Candelabra
This elegant display holds 10 candles —
pillars or tapers. Candles are not included.
The 4" diameter cups have center pins to
secure the candles. 27"w × 14"h × 16"d.

Item #	Each
COP71160	130.72



Accordion Candelabra
This display expands and contracts. It holds
seven candles (not included). The 4" diameter
cups have center pins to secure the candles.
Expands from 19" to 50"; 11" tall.

Item #	Each
COP25320	76.39

Note: Factory Direct Item #s, noted in blue, may take longer to receive and are not returnable



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Bellows



(A) Pennsylvania Pine



(B) Antique Pine



(C) Long John



(D) Rosette

Bellows by Johnny Beard Co.

	Description	Item #	Each
(A)	Pennsylvania Pine 7 1/2" x 19 1/2", black suede leather trim	COP68010	67.51
(B)	Antique Pine 7 1/2" x 21", black suede leather trim	COP68000	64.89
(C)	Long John 7 1/2" x 25", leather trim, extra long handle	COP68060	76.70
(D)	Rosette 7 1/2" x 21", oil-finished pine with leather trim	COP68020	68.53
(E)	Round Back, 7 1/2" x 21", leather trim. Back is carved round from 2" thick American white pine	COP68070	95.18
(F)	Small Oak 6" x 18", hand waxed oil finish with leather trim	COP68050	74.76



(E) Round Back



(F) Small Oak

Pleasant Hearth Fireplace Bellow

Espresso finish adds a decorative touch to the hearth. Zinc-cast nozzle with rivet and leather details. 6 1/2" x 15"

California Customer See Warning.

Item #	Each
03581864	39.02

Item # Ships Factory Direct



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Accessories

Kettles

- Add humidity to dry air
- Traditional design for stove or insert
- Cast iron for lifetime use

These kettles should not be used for drinking water or food.



Cast-Iron Kettle Steamer, Black
3 quart

Item #	Each
03581860	63.77

Item # Ships Factory Direct



Cast-Aluminum Half Kettle, Black
2 quart, measures 4" front-to-back

Item #	Each
COP46290	100.93



Trivet

Trivets are ideal for protecting furniture and floors from hot pans or damp planters. The diameter is 6½", and about 1" high. Recommended for general use up to 300°F.



Steamer

2½ quart

Simply fill with water, set on your fireplace, and allow the heat to gently steam the water, adding moisture to dry air. *This steamer should not be used for drinking water or food.*

Pine Cones



Magical color pine cones burn blue and green, 2½ lb. bag.
California Customer See Warning.

Item #	Each
COP47148	17.59

Description	Item #	Each
Minuteman Black Enamel Trivet	COP46354	20.89
Porcelain Coated Cast-Iron Steamer Black	03577231	53.6

Item # Ships Factory Direct



StoveScents™ Liquid Potpourri from Condar

Add wonderful aromas to the air with StoveScents Liquid Potpourri warming on the woodstove, gas, oil, or other appliance.

The starter merchandiser kit includes four each of four scents (16 total), plus eight ScentStones, all in a shelf display box. The scents are Carolina Breeze, Spice Cake, Winter Garland, and Serenade.

You can reorder a case of assorted scents with four of each scent.

StoveScents	Item #	Each
StoveScents Merchandising Display Kit	COP41900	192.48
Assorted StoveScents, 4 ea. of 4 scents, case of 16	COP41925	116.37



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hearth Rugs

Canyon Hearth Rugs

Goods Of The Woods Canyon Rugs are super sized at 72"x36". These half-round hearth rugs are made of synthetic fibers which perform similar to nylon but have slightly lower melt temperatures.

These rugs meet the CPSC standard FF 1-70 for flammability of carpets. Rug will not continue to support combustion once the ignition source has cooled or been removed. The ember that pops out may char a spot on this hearth rug, but the rug will not burn; it will protect the underlying surface.



Color	Item #	Each
Black	COP47156	147.39
Barnwood	COP47158	147.45
Crimson	COP47157	138.47

Guardian Fire Resistant Hearth Rugs

The 100% fiberglass face on these rugs is simply not damaged by small embers or sparks. The back is heavy vinyl that lays flat and is non-staining and fire retardant. These half-round rugs may be spot cleaned with a sponge and dish soap. All rugs measure 48"l x 27"w.



Color	Item #	Each
Charcoal	COP47150	104.73
Tan	COP47155	104.33

Orion Rugs, Select Styles

4' x 6' contemporary rugs, made of Olefin.



(A) Halo, Multi



(B) Lily, Taupe



(D) Eldridge, Multi



(E) Skyline, Lava



(F) Dusk To Dawn, Multi

	Design Pattern	Item #	Each
(A)	Halo, Multi - 2001	03604181	60.64
(B)	Lily, Taupe - 2009	03604182	60.64
(D)	Eldridge, Multi - 1826	03604180	57.00
(E)	Skyline, Lava - 1623	03604177	137.50
(F)	Dusk To Dawn, Multi - 1631	03603728	152.96

Item # Ships Factory Direct



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Fire Starter Gifts and Fatwood



Minuteman Colonial Fatwood Caddy

Includes 4 lbs. of fatwood.

Item #	Each
COP27210	37.87



Fire Starter Oak Crate With Color Cones

Four pine-cone-paraffin fire starters, 2 lbs. fatwood, ½ lb. color-flaming pine cones, and 5 oz. cinnamon potpourri.

California Customer See Warning.

Item #	Each
COP47140	47.61



Woodfield Color Pine Cones Gift Box

Contains 2 lbs. color-flaming pine cones and six pine-cone-paraffin fire starters, 2 lbs. fatwood. 10" w × 5½" h × 16" l.

California Customer See Warning.

Item #	Each
COP47142	52.69



Minuteman European Design Fatwood Caddy

Includes 4 lbs. of fatwood.

Item #	Each
COP27230	54.35



Fatwood Bucket

10" h × 8" diameter bucket painted gloss black, with 6 lbs. of southern white pine fatwood.

Item #	Each
0298777	39.25



Fatwood, 8 lb. Burlap Bag

Approximately 80-120 sticks, hand-split from the stumps of pine trees.

California Customer See Warning.

Item #	Each
COP27110	21.16



Fatwood, 15 lb. Box

Pop-open side for easy dispensing.

California Customer See Warning.

Item #	Each
COP27111	36.86



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Firestarters



HomeSaver Gelled Fire Starter



Stove Bright Fire Starter Gel

Gelled Firestarters

Gelled fire starters were first used for pellet appliances, but they caught on so well they are now used to start fires in woodstoves, fireplaces, coal stoves, and even campfires.

HomeSaver Gelled Fire Starter stays where you put it and doesn't flare up. It's odorless, smokeless, and burns longer than most other gelled fire starters. The small, 8 oz. bottle makes a great sample for your customers. *California Customer See Warning Below.*

Stove Bright's Fire Starter Gel is alcohol-based and provides the hot flame needed to get even pellet stoves started with ease. The gel stays where you want it. It doesn't clog catalytic converters and can be used in any solid fuel situation. It is odorless and does not alter food taste. *California Customer See Warning Below.*


Firestarter Gel	Item #	Each
Homesaver Gel 8 oz, case of 12	COP81708	58.05
Homesaver Gel 16 oz, case of 12	COP81716	67.90
Homesaver Gel 32 oz, case of 12	COP81732	103.02
Stove Bright Fire Starter Gel	COP43610	111.10



Magicolor Flame Crystals

Here's a fun fire accessory from A.W. Perkins. These sprinkle-on crystals turn a wood fire into a dazzling display of color. 16 oz. shaker canister, case of 12.

Item #	Each
COP81198	121.10



Paraffin Squares

A.W. Perkins Fire Starters are blocks of paraffin-impregnated wood chips. Break a couple squares off the block, put them in contact with your wood, and light them — "break 'n' burn". They will burn 8–12 minutes to get your fire going.

Squares are 1 3/4".

Size	Item #	Each
Small box, 24 squares	COP81180	6.66
Large box, 144 squares	COP81190	22.19



Gas Starter Pipes

Gas Starter Pipes provide an easy way to light a wood fire in a fireplace. These pipes have 1/2" pipe threads, and install easily. Each length has several 1/8" orifices which emit gas and spread the flame evenly under the logs. Units available with mixing chambers for use with natural gas or LP. *California Customer See Warning Below.*



Gas Valve Keys

Replacement keys for the original. The socket end fits valves 1/4" – 5/16". *California Customer See Warning Below.*

Gas Starter Pipes	Item #	Each
T-Style with mixing chamber for natural gas, 2 pipes each 8"	COP47120	42.19
90° Elbow with mixing chamber for natural gas, pipe length 17"	COP47100	32
Straight Pipe with mixing chamber for natural gas, pipe length 17"	COP47115	31.39
Straight Pipe with mixing chamber for LP, pipe length 17"	COP47117	32.12



Gas Shut-Off Valves

Machined out of solid brass stock, these valves are certified by the American Gas Association to withstand up to 90 lbs. of pressure. Available either straight or angled; both with 1/2" pipe thread fittings. Valves come with a 3" x 1/4" – 5/16" shut-off key.

California Customer See Warning Below.

Valve	Item #	Each
Angled	00115186	36.17
Straight	00115185	36.11

Size	Item #	Each
3" Key	COP47125	6.08
8" Key	COP47128	9.12
12" Key	COP47124	14.76
18" Key	COP47126	17.70
24" Key	COP47129	20.66



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Log Racks, Gloves



Log Racks

These log racks are made of strong, 18-ga., 1¼" tubular steel, with a glossy black, baked-on polyurethane powder-coated finish. Racks are shipped unassembled with hardware.


Description	Item #	Each
Medium Log Rack. 46"h × 14"d × 45"l, with 81/2" legs. Holds 1/2 face cord.	COP10804	98.3
XLarge Log Rack. 46"h × 14"d × 96"l, with 81/2" legs. Holds full face cord.	COP10808	143.49



Log Rack Covers

Made-to-fit log rack covers eliminate wet wood and tarps that blow off. Heavy-duty vinyl, weather-proof cover with easy-to-open Velcro fasteners.

Description	Item #	Each
Medium Log Rack Cover 38"h × 20"d × 48"l	COP10810	53.23
XLarge Log Rack Cover 38"h × 20"d × 96"l	COP10812	78.03



Log Hoop

Beautiful way to store and display a medium stash of wood, indoors or outdoors. Black.

Size	Item #	Each
43" Log Hoop	0	03577229

Item ships Factory Direct.



Insulated Leather Wood-Handling Gloves

Description	Item #	Each
Heavy-Duty Cowhide Gloves. Maroon, insulated, 13" long.	02473048	30.38
Fireproof Cowhide Gloves. Black, insulated, 19" long.	COP71210	35.59



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Log and Ash Carriers



Pleasant Hearth Canvas Log Tote

Durable canvas tote with reinforced handles for extra durability. 36" w × 18" h.

Item #	Each
03581858	39.90

Item # Ships Factory Direct



Rugged Cowhide Log Carrier

Sturdy and tough cowhide leather wrap-around carrier hauls a large quantity of logs. 17" w × 37" l.

Item #	Each
COP75000	55.69



Black Steel Hod

Holds about 3 gallons of ash. Extra Strong, corrugated body, 12" w × 10" h × 10" d.

Item #	Each
COP73200	38.15



Black Ash Container and Shovel Set

Holds 6 gallons of ashes, double bottom for extra safety, bail with wood handle. Hod 14" h × 14 3/4" d, shovel 18" l.

Item #	Each
COP73110	73.46

Bucket, Lid & Shovel as a set



Black Steel Fireplace Shovel

Essential cleanup tool for stoves and fireplaces. 19 1/4" long.

Item #	Each
03581859	27.64

Item # Ships Factory Direct



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Firebacks

Pennsylvania Cast-Iron Firebacks

Cast-Iron Firebacks protect the back fireplace wall and absorb heat to radiate it into the room. They lean against the back wall, but a great option is to display using fireback boots, (shown below). Fireback boots allow you to combine a fireback and a grate into an integrated unit. Use any grates shown under Fireplace Grates. *California Customer See Warning Below.*

Call us today to special order additional Pennsylvania Firebacks not shown.



Great Oak Cast-Iron Fireback

18"w × 20"h × 7/8"d, 41 lbs.



Small Oak Cast-Iron Fireback

18"w × 16"h × 1"d, 33 lbs.



We The People Cast-Iron Fireback

18"w × 21 1/2"h × 5/8"h, 44 lbs.

Item #	Each
COP61095	558.91

Item #	Each
COP61094	447.14

Item #	Each
COP70128	548.14




Pennsylvania Fireback Boots

Fireback boots hold up a cast-iron fireback and provide holes for the back feet of a fireplace grate. This integrates the fireback and the grate into a connected unit.

California Customer See Warning Below.

Size	Item #	Each
Small Boots, set of 2, 21/2"w × 41/4"h × 8"l, 11 lbs.	COP61096	116.34
Large Boots, set of 2, 21/2"w × 5" h × 8"l, 11 lbs.	COP61097	129.75



Stainless Radiant Firebacks

This Woodfield fireback protects the back wall of the fireplace and reflects heat to the room. Each fireback has a gentle curve applied to its back. This pre-stresses the fireback to minimize warping.

Constructed of 14-ga., 304-alloy stainless steel, the Radiant Fireback weighs in at about one sixth the weight of a cast-iron fireback. It's easier to handle.

Slotted support legs allow you to adjust it to three angles: 65°, 75°, and 90°. The legs are 1"h, 2 3/8"w, and 11"l.

Item #	Size	Each
COP70020	15"w × 15"h	77.20
COP70030	18"w × 16"h	95.21
COP70060	20"w × 20"h	113.43
COP70070	24"w × 24"h	119.37
COP70080	27"w × 27"h	164.04

Additional sizes available Factory Direct.



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Fireplace Grates



Vestal Cast-Iron Safety Grate

This grate is self feeding. Its deeply curved shape lowers burning logs to the grate bottom, rather than letting them tumble onto the hearth, eliminating a possible fire hazard.

Item #	Each
23 3/4" front × 18" back × 15" deep Leg height 2 1/4". 32 lbs.	
COP26432	121.94



Hy-C Sampson Cast-Iron Grates

This grate has optional sections that can be added to the middle. Each section is self supporting and increases the width of the grate by 7". These grates work very well with Pennsylvania firebacks and fireback boots.

California Customer See Warning Below.

Item #	Each
Small 18" front × 15" back × 15" deep. Leg height 3". 25 lbs.	
COP46020	156.46
Large 22" front × 18 1/2" back × 15" deep. Leg height 3". 27 lbs.	
COP46024	175.35
Extra Grate Section 8" wide × 15" deep. Leg height 3". 11 lbs.	
COP46050	60.52



Vestal Cast-Iron Alternative Grates

This grate is an economical alternative.


Item #	Each
18" one-piece 17 3/8" front × 12 7/8" back × 12" deep. Leg height 2 1/8". 17 lbs.	
COP61300	53.98
23" one-piece 23 1/2" front × 17 7/8" back × 12" deep. Leg height 2 1/8". 19 lbs.	
COP61302	67.64
27" one-piece 27 1/4" front × 23" back × 12" deep. Leg height 2 1/8". 19 lbs.	
COP61304	69.65



Vestal Welded Steel Grates

These grates are made of heavy square steel bars — 5/8" and 3/4", depending on grate size.

Size	Stock	Weight	Item #	Each
5 bars. 18" front × 16" back × 12" d × 6 1/4"h. Leg 31/2"h	5/8" bars	13 lbs.	COP26318	47.22
6 bars. 24" front × 20" back × 12" d × 6 1/4"h. Leg 31/2"h	5/8" bars	16 lbs.	COP26324	55.87
5 bars. 24" front × 20" back × 15" d × 7 1/2"h. Leg 31/2"h	3/4" bars	20 lbs.	COP26424	71.59
6 bars. 27" front × 23" back × 15" d × 7 1/2"h. Leg 31/2"h	3/4" bars	27 lbs.	COP26427	77.93
7 bars. 30" front × 26" back × 15" d × 7 1/2"h. Leg 31/2"h	3/4" bars	30 lbs.	COP26430	81.49



Firemizer Heat Grid for Grates

PLACE ON GRATE TO REDUCE FUEL USAGE AND CREOSOTE

Firemizer is a special mesh of stainless steel alloy fibers designed to optimize the performance of fireplaces. Several independent university tests have demonstrated that Firemizer reduces fuel usage up to 33% and minimizes creosote in the chimney by up to 57%. This patented product is not catalytic and does not contain chemicals, but it slows the air flow to reduce the burn rate, and it conducts heat evenly across the fire to ensure all fuel is burnt and that small pieces of fuel do not fall through the grate.

Firemizer is simply placed on the grate, under a wood or coal fuel. It can be easily dusted off and it works for about 500 hours.

Description	Item #	Each
SS fiber mat, 14" × 20"	02473667	32.55



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Safety Screens, Glass Doors

Woodfield Fireplace Spark Screens

Hanging Spark Guard Dimensions	Item #	Each Set
48"×18"	COP61076	32.81
48"×19"	03559262	33.01
48"×20"	COP61078	33.36
48"×21"	03559263	33.36
48"×22"	COP61080	34.74
48"×23"	03559264	35.39
48"×24"	COP61082	36.96
48"×26"	COP61084	38.40
48"×28"	COP61086	39.72
48"×30"	COP61088	41.24

Custom Hanging Spark Screens

- You can special order Woodfield Fireplace Spark Screens in:

Stainless steel
Solid copper
Solid brass
Black

- 1/4" standard mesh, or 3/16" mini-mesh
- Screen pulls to match are also available.
- Measure carefully — custom spark screens are nonreturnable.

Curtain-type screens for replacement, or new installation. Sold in sets of two, 19-ga., 1/4" mesh screens, 24" wide panels.

3 1/2" Screen pulls are included and are also sold separately. Black and Brass screen pulls are stocked. Copper and Stainless are available by special order.

The fireplace spark screen rod kit is sold separately, for both replacement and new installation. Adjusts to 58" maximum width.



Fireplace Spark Screen Rod Kit



Screen Pulls, Brass



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Accessories for Hanging Spark Guards	Item #	Each
Fireplace Spark Screen Rod Kit: two 3/16" diameter × 32" rods, mounting brackets (adjusts to maximum fireplace opening of 58")	COP61090	7.11
Extra Black Screen Pulls , one pair	COP41635	5.07
Extra Brass Screen Pulls , one pair	COP41631	6.37



Thermo-Rite® Celebrity Clearview® Glass Doors

- Black Powder Coated Finish
- Clearview bi-fold doors
- Lifetime warranty on glass

Glass doors provide spark protection, and keep room air from exiting up the flue. Thermo-Rite doors are perfect for new installations and for replacements.

Crafted from anodized aluminum, this enclosure features a 4" frame, full-swing bi-fold trackless doors and mesh curtain.

This textured black model has 1/4" tempered bronze glass with the "Clearview" feature — no vertical brass strips. Heavy duty 19-ga. mesh already installed.

Note: Order the right size and style door, as these cannot be returned.

Fireplace Opening Width	Fireplace Opening Height	Overall Frame Size W X H	Item #	Model	Each
28 1/2" – 34 1/2"	22" – 25 1/2"	35 1/2" × 26"	COP50366	CE3526	641.82
28 1/2" – 34 1/2"	25" – 28 1/2"	35 1/2" × 29"	COP50362	CE3529	680.59
34 1/2" – 40 1/2"	22" – 25 1/2"	41 1/2" × 26"	COP50364	CE4126	713.46
34 1/2" – 40 1/2"	25" – 28 1/2"	41 1/2" × 29"	COP50462	CE4129	717.80
34 1/2" – 40 1/2"	28" – 31 1/2"	41 1/2" × 32"	COP50368	CE4132	729.12
40 1/2" – 46 1/2"	25" – 28 1/2"	47 1/2" × 29"	COP50468	CE4729	830.44
40 1/2" – 46 1/2"	28" – 31 1/2"	47 1/2" × 32"	COP50464	CE4732	807.55

Additional glass door styles, finishes, and custom sizes available special

Thermo-Rite Glass Doors Brochures Pack of 50	COP99350	10.30
--	----------	-------



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Pleasant Hearth Glass Doors

- High temperature powder-coated finish
- Tempered safety glass with mesh panels behind doors
- Heavy gauge steel and welded frame
- Made in the USA

Enhances the traditional masonry fireplace hearth. The one-piece frame construction is designed as a surface mount and sits outside the fireplace opening against a flat surface. Comes with easy grip handles, hidden damper control knobs for air flow control, and heat-resistant thick insulation.

Visit copperfield.com for photographs and details on each style.

Cabinet Style Glass Doors Dimensions

Fireplace Opening Width	Fireplace Opening Height	Overall Frame Size H	W X
Small 30"-37"	22½" – 29½"	37½" x 30"	
Medium 30"-37"	25½" – 32½"	37½" x 33"	
Large 30"-37"	25½" – 32½"	43½" x 33"	

Fore surface mount on the outside of the flat surface



Alpine



Alsip



Cahill



Colby



Edinburg



Enfield

IMPORTANT NOTE: Photographs of our Pleasant Hearth Glass Doors portray Closed Doors with burning fire—Glass doors must remain open while fire is burning.

Description	Item #	Each
Ashlynn—Cabinet Style Color: Antique Brass		
Small	03577169	343.49
Medium	03577170	343.49
Large	03577171	366.84
Alpine—Cabinet Style Color: Black		
Small	03577172	392.98
Medium	03577173	394.18
Large	03577174	393.28
Alsip—Cabinet Style Color: Sunlight Nickel		
Small	03577175	395.50
Medium	03577176	370.21
Large	03577177	370.07
Carlisle—Cabinet Style Color: Black		
Small	03577190	420.63
Medium	03577191	396.10
Large	03577192	448.31
Cahill—Cabinet Style Color: Antique Brass		
Small	03577184	423.00
Medium	03577185	447.93
Large	03577186	447.93
Colby—Cabinet Style Color: Sunlight Nickel		
Small	03577187	449.19
Medium	03577188	420.22
Large	03577189	448.52
Craton—Cabinet Style Color: Gunmetal		
Small	03577196	420.63
Medium	03577197	396.10
Large	03577198	396.10
Easton—Cabinet Style Color: Black		
Small	03577202	542.43
Medium	03577203	538.87
Large	03577204	576.01
Edinburg—Cabinet Style Color: Gunmetal		
Small	03577205	576.01
Medium	03577206	507.93
Large	03577207	576.01
Enfield—Cabinet Style Color: Burnished Bronze		
Small	03577208	578.95
Medium	03577209	542.43
Large	03577210	575.15

Items ship directly from the factory. Allow a few extra days to receive.



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Glass Doors



Fenwick



Fieldcrest



Arrington



Grandior

IMPORTANT NOTE: Photographs of our Pleasant Hearth Glass Doors portray Closed Doors with burning fire—Glass doors must remain open while fire is burning.

Pleasant Hearth Glass Doors CONTINUED

Description	Fireplace Opening Width	Fireplace Opening Height	Overall Frame Size W X H	Item #	Each
Fillmore—Cabinet Style Glass Doors Color: Midnight Black					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577215	601.14
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577216	566.60
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577217	640.75
Fenwick—Cabinet Style Glass Doors Color: Oil Rubbed Bronze (pictured above)					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577218	581.09
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577219	621.14
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577220	628.22
Fieldcrest—Cabinet Style Glass Doors Color: Midnight Black (pictured above)					
Extra Small	29" – 37"	22½" – 27½"	38 5/8" x 28"	03577211	900.65
Small	29" – 37"	27½" – 32½"	38 5/8" x 33"	03577212	900.65
Medium	35" – 43"	22½" – 27½"	44 5/8" x 28"	03577213	914.78
Large	35" – 43"	27½" – 32½"	44 5/8" x 33"	03577214	951.60
Arrington—Bi-Fold Style Glass Doors Color: Sunlight Nickel (pictured above)					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577178	382.01
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577179	407.95
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577180	384.56
Ascot—Bi-Fold Style Glass Doors Color: Black					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577181	407.87
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577182	407.74
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577183	408.37
Clairmont—Bi-Fold Style Glass Doors Color: Black					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577193	410.17
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577194	412.89
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577195	410.35
Carrington—Bi-Fold Style Glass Doors Color: Antique Brass					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577199	428.64
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577200	428.52
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577201	403.66
Grantham—Bay Style Glass Doors Color: Oil Rubbed Bronze					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577221	734.50
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577222	691.69
Large	36" – 43"	25½" – 32½"	43½" x 33"	03577223	691.69
Grandior—Bay Style Glass Doors Color: Antique Brass (pictured above)					
Small	30" – 37"	22½" – 29½"	37½" x 30"	03577224	561.46
Medium	30" – 37"	25½" – 32½"	37½" x 33"	03577225	496.51
Large					496.51

Items ship directly from



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Boards

American Panel Stove Boards

- Beautiful stones and tiles, artfully laid
- Steel frame for strength and to protect edges


These beautiful stove boards are crafted from a variety of quality slate, ceramic and porcelain and expertly finished for maximum durability. Enjoy the security of knowing your stove board meets all of the latest industry safety standards.

40" stove boards are Type 1 — ember protection only. They are built with a heavy duty 1" steel frame, automotive type e-coat paint process for frame, and ½" non-combustible substrate.


48" stove boards are Type 2 — ember and thermal protection. The boards have an r-value of 1.61 as required by many wood burning stoves. They are built with a 1.5" heavy duty extruded aluminum frame, automotive type e-coat paint process for frame, ½" non-combustible substrate, and an additional ½" of thermal protective Micore 300 under the complete hearth pad. Additional features include: no removal of carpeting required, only non-combustible materials used, tested to most recent standard, and can be installed on risers that require additional thermal protection.



Asian Slate Tile



Double Cut Dimensions



Single Cut Corner Dimensions



Carmel Tile




Night Shadows Tile



Desert Storm Tile



Volcanic Sand Tile



Stove Board Display

Stove Board Style and Size		Item #	Each
Asian Slate Tile	40"x40", double cut	COP49202	323.71
	40"x40", single cut corner	COP49203	330.68
	48"x48", double cut	COP49206	439.07
	48"x48", single cut corner	COP49207	438.64
Carmel Tile	40"x40", double cut	COP49702	284.75
	40"x40", single cut corner	COP49703	284.72
	48"x48", double cut	COP49706	389.62
	48"x48", single cut corner	COP49707	391.64
Desert Storm Tile	40"x40", double cut	03589317	337.33
	40"x40", single cut corner	03589318	320.90
	48"x48", double cut	03589319	410.45
	48"x48", single cut corner	03589320	435.06
Night Shadows Tile	40"x40", double cut	COP49210	279.85
	40"x40", single cut corner	COP49214	285.65
	48"x48", double cut	COP49218	382.63
	48"x48", single cut corner	COP49222	392.92
Volcanic Sand Tile	40"x40", double cut	0272445	332.49
	40"x40", single cut corner	0272443	339.19
	48"x48", double cut	0272441	426.54
	48"x48", single cut corner	0272439	425.40
Riser	40"x40", double cut	0272444	208.59
Volcanic Sand 6" High	40"x40", single cut corner	0272442	192.03
	48"x48", double cut	0272440	222.82
	48"x48", single cut corner	0272438	223.69
Stove Board Display 14"w x 48"h x 20"d Includes six 8" x 14" sample boards		COP49200	277.67



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Boards



White Sand Tile

American Panel Modular Stove Boards

- Individual tiles assemble to a single corner board or to a double corner board
- Patent-pending

The American Panel Type 2 modular stove boards are the most innovative approach to hearth protection on the market. These patent-pending stove boards contain only non-combustible material, utilizing an easily assembled modular steel backer with tile. They can be assembled to either single- or double-corner style.

Shipped in a well-engineered box designed to protect the hearth pad from damage, to reduce the shipping damage associated with one piece boards, making the smaller boxes are easier to store and work with. The 1 1/4" stove boards provide an R-value of 1.61 to meet most any need.

Out of box to fully assembled in 7 minutes.

Stove Board Style and Size after Assembly		Item #	Each
White Sand Tile	48"x48"	03589329	370.44



Unpacking Instructions
Video: American Panel
Modular Hearth



Installation Video:
American Panel Modular
Hearth



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hy-C Black Stove Boards and Hearth Extender

Protect your customers' floors or walls from the intense heat, hot coals, ashes, and soot that woodstoves can produce. The embossed pebble-finish steel resists scratches and hides blemishes.

These black stove boards can be used under other heating appliances such as kerosene, gas, and electric heaters. UL Listed and UL Approved as a wall shield when installed with the heat shield spacer kit. These boards have a 1.6 R value. *The smallest board and hearth extender can ship UPS. The others must ship via freightline.*

Style and Size	Item #	Each
Stove Board 32"x42"x5/8"	0283540	179.48
Stove Board 36"x48"x5/8"	0283539	131.19
Stove Board 36"x52"x5/8"	0283538	224.58
Hearth Extender 48"x48"x5/8"	0283537	201.11
Hearth Shield Spacer Kit, pack of 8 metal spacers, 8 screws, 8 wall anchors, and 8 washers	COP73905	21.56



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Boards



Hy-C Metal Stove Boards and Hearth Extender

UL Listed, Gray Tile Slate pattern metal stove boards from the HY-C Company capture the richness of slate tile without the hefty price, and will complement many decors. These boards have a 1.6 R value.

Style and Size		Item #	Each
Metal Stove Boards	32" × 42" × 5/8"	00283536	180.34
	36" × 48" × 5/8"	00283535	174.62
	36" × 48" × 5/8"	03603881	163.07
Hearth Extender	18" × 48" × 5/8"	03603880	140.66



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

R-CO Stove Boards


- Protects both floor and walls from heat
- Easy assembly

Protect floors and walls from heat, coals, and ashes. R-CO Stove Boards can be installed on walls with no spacer needed, reducing necessary stove clearances by 66%. (12" minimum clearance is always required.) These boards have a 3 R value.


Stove boards come in brick and gray tile. The brick style has a textured surface, while the gray tile surface is smooth. Both styles have recessed mortar joints to give a three-dimensional effect. Stove boards are approximately 1 1/4" thick.

All R-CO Stove Boards ship UPS, except the 48"x48" size.


There are four panel sizes and a matching brick hearth extender. Panels easily attach together with a T-Channel, which is included. See the diagrams below for configurations.




Style and Size		Item #	Each
Brick	24" x 48"	COP03120	215.44
	30" x 48"	COP03134	243.90
	36" x 36"	COP03140	270.30
Brick Double Cut	48" x 48"	COP03150	410.97
Brick Hearth Extender	16" x 48"	COP03110	180.43
Gray Tile	24" x 48"	COP03220	255.20
	30" x 30"	COP03230	166.33
	30" x 48"	COP03234	258.02




3' x 3' Non-Corner Unit




4' x 4' Double-Cut Unit




16" x 48" Hearth Extender



4' x 4' Non-Corner Unit



4' x 5' Non-Corner Unit



5' x 5' Non-Corner Unit



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Boards



Ember King Type 1 Boards

- Quality 10-gauge plate steel construction
- Scratch-resistant powder coated finish
- Strongest and most durable hearth board available
- UL Listed, Type 1
- Made in the USA

These Ember King boards are a Type 1 spark and ember floor protection. They feature a low profile view, which compliment any traditional or contemporary heating appliance. The textured black powder coated finish is scratch resistant and will enhance any color stove.

These stove boards are only intended to be used as spark and ember protection. They do not provide thermal protection. Check your appliance manufacturer's installation instructions to confirm that these boards are approved with their stove. These boards are tested and listed by Underwriters Laboratories as a Type 1 spark and ember protection only. Proudly made in the USA.

Additional colors available via Factory Direct. Please call.



Copper Vein



Textured Bronze



Silver Vein



Mixed Cocoa

Stove Board Style and Size after Assembly		Item #	Each
Standard Hearth	12" x 48"	03583018	157.28
Extension	18" x 48"	03583019	176.73
Standard Gas ONLY	28" x 32"	03583020	196.87
Round	32" x 34"	03583021	222.28
Standard	36" x 36"	03583022	268.25
Corner	36" x 36"	03583023	267.69
Standard	41" x 41"	03583024	294.48
Corner	41" x 41"	03583025	294.68
Standard	48" x 48"	03583026	384.63
Corner	48" x 48"	03583027	384.50
No Cut	48" x 54"	03583028	407.51
Corner	48" x 54"	03583029	509.74

Items ship directly from the factory. Allow a few extra days to receive.



Standard Hearth Extension



No Cut



Standard Gas



Round



Standard



Corner



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Air Circulators

Ecofan

- Uses the heat of a stove to generate its own electricity
- Fan starts and stops itself

No unsightly electric cord and no batteries to change. Just place the fan on top of the stove. Heat produces an electrical current, which drives a DC motor and fan-blade that circulates the warm air throughout the room. As the stove gets warmer, more electricity is generated and the fan goes faster, boosting stove efficiency by up to 30%.
Two-year warranty.



Ecofan for Wood Stoves
Gold blades, 125 CFM



Ecofan for Wood Stoves
Nickel blades, 175 CFM



Ecofan for Gas Stoves
Nickel blades, 140 CFM

Item #	Each
00275083	117.79

Item #	Each
00123903	176.06

Item #	Each
01028456	220.24

Electric Air Movers



Thermoguard

The patented, matchbox sized device is wired to the homeowners thermostat to assist in heating a home. Its computer turns on the fan of the central heating system at intervals set by the homeowner. Thus, heated air from the wood, pellet, or gas stove is circulated throughout the home.




Extra-Quiet Circulating Fan

This fan mounts high in a doorway or hallway to move warm air out of one room into another. Its swivel bracket allows directed air flow. It has a 12 ft. plug-in cord with one speed, 105 cfm. 5"×5", black.

Item #	Each
COP85100	82.00

Item #	Each
COP71925	69.48



Comfort Geni

The Comfort Geni moves heated air from a fireplace or stove room to the next room, through a wall or floor. The library-quiet fan runs only when the source room reaches a designated temperature. The unit has fan speed settings and fan-heat-cool settings.

Comfort Geni 4x moves 40-100 CFM and fits register openings of 4"×12", 6"×10", and 6"×12". **Comfort Geni 6xr** moves 115-150 CFM and fits register openings of 6"×10" and 6"×12". The Geni 6xr comes with a remote control.

Both units are almond colored. Plugs into electrical outlet. Paperboard ducts connect the Comfort Geni through a wall or floor to a register on the other side.

Description	Part #	Item #	Each
Geni 4x 4×10 warm air distributor	1000-5001	02473605	95.20
Comfort Geni 4×10 duct kit	1000-2001	02473606	39.54
Geni 6xr 6×10 warm air distributor	1000-5011	02473607	134.88
Comfort Geni 6×10 duct kit	1000-2011	02473608	44.01



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


Stove Add-Ons



HomeSaver Stovepipe Thermometer

Single-wall Stovepipe
Target Zone: 270°F – 468°F

A strong magnet sticks this thermometer to a single-wall stovepipe. Quickly glance to see if the stove is burning at the right temperature.



Chimgard Stovepipe Thermometer

Single-wall Stovepipe
Target Zone: 230°F – 475°F

The Chimgard's five-color face makes it easy to read. It attaches magnetically to the stovepipe. One-year warranty.



FlueGuard Flue Gas Thermometer

Double-wall Stovepipe
Target Zone: 400°F – 900°F

This thermometer precisely measures the inner flue gas temperatures up to 1700°F. Just drill a 1/4" hole to insert the probe, and the thermometer mounts magnetically on the stovepipe. One-year warranty.



Condar Replacement Catalytic Thermometer

Catalytic Combustor
Target Zone: 500°F – 1500°F

This thermometer inserts into the catalytic combustor orifice and is the only way to be certain the combustor is up to proper working temperature. 4" long probe is easily trimmed.

Stove Thermometers

Description	Item#	Each
HomeSaver Stove Thermometer, magnetic	COP40900	15.56
Chimgard Stovepipe Thermometer, magnetic	COP41100	21.93
FlueGuard Flue Gas Thermometer, probe	COP41120	30.94
Replacement Catalytic Thermometer, probe	COP41130	26.16



Inferno Stove Thermometer
Surface thermometer calibrated to measure Fahrenheit

Item #	Each
03606436	26.48


Vents



Cast-Iron Louvered Register

Our black Cast-Iron Louvered Register has louvered vents which may be closed if desired. This register requires a 10" x 12" opening for installation. Finished grille is 12" x 14".

Item #	Each
COP71300	164.18



Air Supply Ventilator

This air pathway provides necessary air for vented and vent-free gas appliances, as well as woodburning appliances. The Air Supply Ventilator is installed through an outside wall, and adjusts for walls up to 14". Grills are Item # Each5½" square. Tube is 4" in diameter. No batteries, electrical wiring, or 41800 \$63.75 ductwork needed. It can be closed manually. It can be painted with latex paint. The tough, ABS molded polymer Air Supply Ventilator includes an exterior and interior grill, as well as an exterior insect screen. Three-year limited warranty.



Cast-Iron Grille

Use this grille to circulate warm air between floors or adjoining rooms where no fan or vent control is needed. This black, 12" x 14" grille fits a 10" x 12" opening. It may be used on the "backup side" of a cast-iron louvered register installation.

Item #	Each
COP71310	62.16

Item #	Each
COP41800	98.72



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Stove and Gasket Cement

A.W. Perkins Stove and Gasket Cement makes repairs on woodburning stoves and seals fiberglass gaskets into place. This black silicate, ceramic-type cement withstands 2000°F temperatures and comes in a 2.7 oz. tube and in a caulking gun cartridge.


Description	Item #	Each
2.7 oz. tube, black	COP81136	6.91
11 oz. tube, caulking cartridge, black	02479243	6.76



Self-Adhesive Fiberglass Insulation

There are lots of uses for this great product — Ideal for restoring the seal between the fireplace insert and the hearth. It comes in a 1½"×10' roll and features a peel-off, self-stick backing.

Description	Item #	Each
1½" × 10' Roll	COP81210	18.42



Replacement Catalytic Combustors from Condar

A properly functioning catalytic stove burns more efficiently with less emissions and more consistent heat output.

A combustor that's cracking, crumbling, or peeling should be cleaned or replaced. The same may be necessary if the stove performance has dropped significantly.

All combustors come with a prorated, six-year warranty. Additional catalytic combustors available factory direct.

Description	Item #	Each
6" round × 2" 25 cells/sq.in.	COP41710	186.43
7" round × 2" 16 cells/sq.in.	COP41730	216.78
Long 21/2" × 13" × 2" 16 cells/sq.in.	COP41780	279.43



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Stove Service

Replacement Fiberglass Stove Gasket

Spools		Item #	Each
White Round	1/4"×200'	COP81221	71.99
	3/8"×132'	COP81222	70.56
	1/2"×88'	COP81223	71.71
	5/8"×65'	COP81224	71.69
	3/4"×47'	COP81225	71.69
	7/8"×25'	COP81230	70.94
	1"×25'	COP81235	71.75
White flat	1/8"×5/8"×157'	COP81220	88.16
Black round	5/16"×200'	COP81269	100.66
	3/8"×132'	COP81270	92.77
	1/2"×88'	COP81271	92.94
	5/8"×65'	COP81272	93.02
	3/4"×47'	COP81273	92.89
	1"×25'	COP81274	92.71
Black flat	1/8"×5/8"×157'	COP81268	97.99
Black Self-Adhesive Window Gasket	3/16"×3/4"×80'	COP81239	116.46
Packets		Item #	Each
Self-Adhesive Fiberglass Insulation	11/2"×10'	COP81210	18.42
White Rope	3/8"×84"	COP81255	9.54
	1/2"×84"	COP81260	9.55
	5/8"×84"	COP81262	10.30
White Flat Tape	1/8"×5/8"×84"	COP81250	6.31
Black Rope	3/8"×84"	03603210	9.94
	1/2"×84"	03603209	9.94
	5/8"×84"	03603211	11.34
Black Self-Adhesive Window Gasket	3/16"×11/16"×54"	03603212	10.43
	3/16"×3/4"×54"	COP81265	8.67
	1/8"×13/16"×54"	COP81267	8.80
Vermont Castings Black Griddle	5/16"×50"	COP81275	9.43
Kits		Item #	Each
Self-Adhesive Glass Gasket Kit, Black	6'	03603207	9.55
Silicone and Gasket Kit, Black	5/8"×8'	03603208	15.91



Black Fiberglass Gasket

Black Fiberglass Stove Gasket is made of a high-quality graphite-impregnated fiberglass. It withstands abrasion better than any other gasket and handles heat up to 1000°F. Because it's black, it blends beautifully around windows and is almost invisible to the eye. It comes in a spool, and it is available in seven sizes, flat or round.

White Fiberglass Stove Gasket is also fiberglass, but is not as durable as black graphite-impregnated gasket.



Self-Adhesive Window Gasket



Griddle Gasket for Vermont Castings Stoves is an exact replacement for a worn or missing griddle gasket. It is a 5/16"×50" stainless, mesh-covered rope gasket.

Bad stove gaskets waste heat and fuel. Watch for the opportunity to replace them. Our **HomeSaver Replacement Fiberglass Stove Gasket** is easy to install. Simply remove the old worn frayed gasket, clean the surface, and glue in a new gasket with stove and gasket cement. These gaskets are braided, not coiled, so they do not unravel easily.



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Stove Bright® Gas Vent Pipe Paint

Gas Vent Pipe Paint comes in brilliant colors to let you colorize your customer's direct vent pipe to match their gas stove. It is easy to apply and dries fast. Comes in 12 oz. spray cans. Temperature resistant to 250°F.

Brushable paint and additional colors are available special order.

California Customer See Warning Below.

Spray Paint, 12 oz.	Item #	Paint #	Each
Matches Dovre Stoves			
DV Green*	COP43132	64-EN-5739	8.61
Matches HearthStone Stoves			
HS Brown	COP43143	64-EN-5493	18.39
Matches Jotul Stoves			
JO Ivory	COP43140	64-EN-5823	18.42
Matches Napoleon Stoves			
NA Majolica Brown	COP43175	A64E816	18.28
Matches Travis Stoves			
TR Oxford Brown	COP43175	A64E816	18.28
Matches Vermont Casting Stoves			
VC Red	COP43122	64-EN-6047	17.31
VC New Sand	COP43124	64-EN-6676	18.46



Stove Bright® Gas Fireplace Surround Paint

Use these iridescent paints to change an ordinary surround into an extraordinary one. The results are beautiful. Withstands temperatures up to 1200°. 12 oz. spray cans.

California Customer See Warning Below.

Color	Item #	Paint #	Each
Copper	COP43405	6320	15.09
Green Illiusion	COP43406	6327	15.07
Pewter	COP43407	6321	15.82
Sunset	COP43408	6324	16.12
Serf Sand	COP43409	6325	16.12



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Paint



VIDEO:
Painting Your Stove
Applying 3 Coats of
High Temp Paint



VIDEO:
Painting Your Stovepipe

Stove Bright® Stove Paint

Use Stove Bright High-Temperature Stove Paint for complete stove refinishing. Ideal for matching stove color to room decor, or for touching up worn, chipped, scratched, or heat bleached areas. It holds its color up to 1200°F. Stove Bright Paint comes in 12 oz. spray cans.

Call us at 800-247-3305 for a free color chart. Brushable paint and additional colors are available special order.

California Customer See Warning Below.

Description	Item #	Paint #	Each
Black	Satin	COP43200	1990
	Flat	COP43205	6304
	Vent Pipe	COP43207	1AS4H22
Black, oz.	Flat	03603062	6304
	Gldenfire	COP43215	6230
	Honey Glo	COP43270	6311
Brown	Bark	COP43272	6310
	Sky	COP43245	6194
	Patriot	COP43275	6318
Blue	Forest	COP43265	6198
	Emerald	COP43262	6223
Green	Mauve	COP43285	6313
	Mojave Red	COP43287	6319
	Russet	COP43288	6192
Redwood	Charcoal	COP43286	6199
	Almond	COP43255	6283
	Sand	COP43280	6307
Silver	Silver	COP43290	6265
	Gold	COP43295	6302
	New Bronze	02499442	6332
	Black	COP43210	6309
	Brown	COP43220	6159
	Rich Brown	COP43225	6298
	Blue	COP43250	6196
	Moss Green	COP43260	6197
	Mahogany	COP43230	6195
	Gray	COP43235	9193



Stove Bright® Chimney and Roof Flashing Paint

Stove Bright chimney and roof flashing paint is a flat coating specifically designed to withstand harsh conditions. It has superior weather and UV resistance and is a great way to match flashing color to the color of roof materials.

California Customer See Warning.

Description	Item #	Paint #	Each
Terra Cotta	COP43340	1A464E305	16.58
Charcoal	COP43342	1A464E206	17.63
Coffee Brown	COP43334	1A464E811	17.6



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Specialty Paints



Thurmalox® Black Stove Paint

This is a silicone-based, low-sheen paint popular for completely refinishing stoves and painting stovepipe and accessories. Touches up water spots, scratches, chipped spots, and more. 12 oz. spray can.

Item #	Each
COP42100	10.92



HomeSaver® Black Paint for Stainless Steel

Unlike most paints which do not adequately adhere to stainless steel, this paint bonds to stainless without the need for primer. It resists heat up to 1200°F. 12 oz. spray can.

Item #	Each
COP80010	13.35



Gas Appliance Fire Box Paint

This paint's black satin color is heat resistant to 1200°F. It's easy to apply and resists buildup of white deposits common in gas appliances. 12 oz. spray can.

Item #	Each
COP43400	16.29



Stove Bright® Paint Prep

This citrus scented cleaner/degreaser is specially formulated for cleaning metal surfaces prior to painting. Use it for stoves, stovepipe, Class-A chimney, or any metal prior to painting. 11.5 oz. spray can.

Item #	Each
COP43599	10.94



Stove Bright® Primer Paint

Primer paint serves as a heat-safe base for outdoor painting of metal chimneys and caps. Primer is a metallic red-brown color. Overpaint with any Stove Bright paint. 12 oz. spray can.

Item #	Each
COP43299	15.08



HomeSaver® Spray Can Gun

This spray gun will improve your painting results and save hand fatigue. Available for use on all spray paints we carry, and on cans of spray adhesive.

Item #	Each
COP42050	5.64



VIDEO:
Preparing Your Stove for
Painting



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Creosote Removers

BY SAVERSYSTEMS



Cre-Away

Cre-Away is great for drying and making creosote easier to remove. The squeeze applicator bottle allows you to treat the chimney and leave a bottle with the homeowner to treat the chimney with each fire. Come back in two weeks and sweep the flue to remove the ash-like substance that remains. Cre-Away is also available in a more concentrated professional formula.

Description	Item #	Each
Cre-Away , 25 lb. bucket	COP24632	152.92
Cre-Away Applicator for 25 lb. bucket. Requires pressurized air.	COP24633	94.32
Cre-Away , 16 oz. plastic squeeze tube with applicator, case of 6	COP24630	81.2
Cre-Away Brochures , pack of 100	COP99332	13.8



Poultice Creosote Remover (PCR)

Poultice Creosote Remover (PCR) is designed to completely remove third degree creosote from flue tiles, stainless steel liners, and all masonry surfaces, acting as a poultice, dissolving, and absorbing the creosote. As the PCR dries it loses its adhesion and falls off the sides of the flue tiles or liner. The remaining PCR and creosote are easily removed by regular chimney sweeping methods.

Application. PCR is applied in accessible areas with a brush. In a smoke chamber it's applied with the SaverSystem Smoke Chamber Sprayer. In flue tiles or stainless steel liners, it's applied with the PCR Applicator and a winch system. The PCR Applicator includes applicators and hardware for 8"x8", 8"x12" and 13"x13" flues. Applicators for other flue sizes can be ordered through customer service.

Description	Item #	Each
PCR , 25lb container	02489392	228.58
PCR Applicator	02489393	577.55
SaverSystem Smoke Chamber Sprayer minimum 5 CFM @ 50 PSI compressor requirement	02489394	1374.42
PCR brochures , pack of 100	02497427	15.07



VIDEO: PCR Application

Anti-Creo-Soot™

Anti-Creo-Soot has two important uses:

- To remove thin layers of tarry or third-degree glazed creosote
- To prevent creosote buildup

ACS Liquid. ACS is highly effective at controlling creosote and soot and reducing pellet ash. A daily application to the fuel helps maintain the efficiency and safety of a woodburning, pellet, or coal appliance. ACS is a nontoxic, noncorrosive, nonflammable, water-based catalytic formula and is safe for stoves with catalytic combustors. It also helps prevent accumulation of excess ash and clogging in pellet appliances — just spray the fire chamber and lightly mist the pellets in the hopper.

Description		Item #	Each
Anti-Creo-Soot (ACS)	1 quart spray bottle, each	00119190	15.05
	1 quart spray bottle, case of 12	COP79050	158.36
	1 gallon container, each	119191	34.53
	1 gallon container, case of 4	COP79075	147.01
	brochures, pack of 100	COP99379	13.80



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chimney Maintenance

MAINTENANCE PRODUCTS FOR A CHIMNEY INSIDE, OUTSIDE AND TOP

Creosote Removers



A.W. Perkins Dry Creosote Reducer

Dry Creosote Reducer is a granulated powder that often renders creosote brushable when sprinkled liberally on a fire — recommended for airtight woodstoves and fireplace inserts. 2 lb. tub.



A.W. Perkins Creosote Remover

Spray inside airtight woodstoves and inserts a few weeks before sweeping to help remove thin layers of creosote. It also helps prevent buildup.

Description	Description	Item #	Each
Dry Creosote Reducer		COP23905	17.5

Case	Item #	Each
1 case of 6 quarts	COP23910	93.27
2 case of 4 gallons	COP23911	134.51



A.W. Perkins Big Stick Soot Remover

Toss entire (unopened) tube into a brisk fire to remove and prevent dangerous creosote buildup. Use between professional cleanings. Use two Big Sticks weekly for the first month of treatment, then one per week for the rest of the heating season. Use only in airtight stoves, furnaces, and fireplaces. Colorful flames with no mess.

Case	Item #	Each
Dry Creosote Reducer	COP81196	95.35

ChimneyRX DIY Chimney Maintenance Products



Safer Brick and Masonry Cleaner

This formulation of acids and cleaners is safer to use than muriatic acid. It reduces fumes and burns normally associated with muriatic acid. It can be used full strength for tough jobs or diluted for lighter cleaning. It is a breakthrough in masonry cleaning!

Description	Item #	Each
Cleaner, 1 gallon	COP24601	36.94



Elastomeric Flashing Sealant

A long-lasting repair that is easy to apply. It stops leaks at flashings around chimneys, stacks, and vents.

Description	Item #	Each
Cleaner, 1 gallon	COP24639	65.1



Masonry Chimney Water Repellent

Designed for chimneys and other vertical brick surfaces. It helps to prevent water damage such as efflorescence, freeze thaw cycles, and spalling.

Description	Item #	Each
Repellant, 1 gallon	COP24628	60.77



Brushable Crown Repair

Permanently flexible and is easily applied with a brush. Dries in two to four hours.

WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Description	Item #	Each
Repellant, 1 gallon	COP24402	87.25



Masonry Crack And Joint Sealant


Used for sealing small cracks and defects in otherwise structurally sound masonry. It seals cracks up to 1/8" in mortar joints.

Description	Item #	Each
Repellant, 1 gallon	COP24604	38.77



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Vacuums



Love-less Cougar Ash Vacuum

This "no mess" vacuum removes cold to warm ash from wood stoves, pellet stoves, fireplaces, and barbecues. The patented two stage, high-density fire resistant filter system traps the finest ash particles.

The Cougar includes metal construction of key components (3-gallon canister, flexible hose, and nozzle). Its powerful 6 Amp motor features replaceable brushes and bearings for extended life. Proudly made in the USA. 10 year limited warranty.

Description	Item #	Each
Cougar Ash Vacuum Includes: (1) Cougar Ash Vacuum (22"x15"x15"), (1) Inner Filter, (1) Outer Filter, (1) 5-Foot Metal Flex Hose, (1) 13" Metal Nozzle, (1) 8-Piece Tool Kit, (1) Drawstring Tool Bag	03581937	332.33

Items ship directly from the factory. Allow a few extra days to receive.



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



A.W. Perkins Hearth Country™ Ash Vacuum

This is an economical HEPA filtered vac for cleaning up around a wood or pellet stove and fireplace. While not designed for hot ashes the vacuum is designed to prevent any hot debris from reaching the filter and additionally has a double insulated bottom. Featuring 85 CFMs, an 800W motor and a pre-filter to protect the HEPA filter this vacuum will provide years of

trouble-free service. Best of all, there is a built-in Shake Off™ feature to clear the filter while keeping the dust-proof lid in place. It has a 4-gallon powder-

coated black canister with a 5' flexible aluminum hose and an 8" pick-up nozzle, crevice tool and round brush.

Description	Item #	Each
411 Hepa filter	03552816	16.94
412 Accessory kit	03552817	28.82
415 Sootstopper pre-filter	03552818	10.03



Hepa Filter



Accessory Kit



Sootstopper Pre-filter

HomeSaver® Air Fresheners and Deodorants

Chimney odors are mostly a symptom of a dirty flue combined with moisture. Once you attend to the problem by cleaning the chimney and installing a chimney cap, your customer may still have an odor problem. The smell has undoubtedly soaked into the porous brick and mortar.



HomeSaver Air Freshener

Use instead of aerosols for air deodorizing. The 32 oz. pump-spray bottle contains eight-times more deodorant than in a 20 oz. aerosol can. Nontoxic and biodegradable, it has a sweet smelling apple scent.



HomeSaver Chimney and Fireplace Deodorant

A wonderful rescue from fireplace odors! Place a bottle on the smoke shelf and pull up the wick — bingo, two to three months of freshness.

Description	Item #	Each
1 quart (32 oz.) spray bottle, case of 6	COP82115	38.06
1 gallon container, case of 4	COP82125	73.28

Description	Item #	Each
1.5 oz. bottle, pack of 12	COP82000	52.41



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hearth Cleaners



Paint "N" Peel Fireplace Cleaner

Paint "N" Peel is a safe and effective way to clean fireplace faces. The product is brushed on 1/8"–3/16" thick, over the area you want to clean. Over the next 24–48 hours Paint "N" Peel will dry to a rubbery non-hazardous film. Once completely dry it can be easily peeled away and discarded leaving a cleaner surface behind. Covers 20–40 sq. ft. per gallon, depending on the texture and density of the surface.

Description	Item #	Each
1 gallon	00291028	101.98
1.2 gallon	02478795	63.45
Brochures pk of 100	02497426	15.07



Paint it on...



... Peel it off



ACS Home and Hearth Cleaner

Removes difficult dirt and grease with ease. Also removes smoke and creosote stains from fireplace glass, hearths, brick, and stone. 32 oz. spray bottle.

Description	Item #	Each
32 oz. spray bottle, each	0119188	11.77
32 oz. spray bottle, case of 12	COP24645	97.08



Stove Bright® Pellet Stove Glass Cleaner

Especially effective on the glass doors of pellet stoves. It's also a fine product for glass fireplace doors, woodstove glass doors, and even for coal appliances. 16 oz. spray bottle.


Item #	Each
COP43582	11.17



Stove Bright® Gas Appliance Glass Cleaner

Use on glass doors in gas stoves and fireplaces. Its non-abrasive formula removes white deposits and leaves a protective film that resists future buildup. 4 oz. bottle.

Item #	Each
COP43600	5.44



Soot Eraser

Wipes away smudges and soot from bricks and walls. Made of soft vulcanized rubber. 3" x 6".

WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Item #	Each
COP05924	17.43



A.W. Perkins Klear View Hearth Glass Cleaner

Dissolves grime, soot, creosote, smoke residue on glass, stone, fireplaces, and stoves. For use on tempered or ceramic glass.

Description	Item #	Each
32 oz. spray bottle, each	COP81145	64.6



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hearth Cleaners



Speedy White® Hearth and Stove Cleaner

This is a highly effective, biodegradable, smoke stain cleaner for glass doors, spray on and wipe off. For stone and brick hearths, spray, brush, and sponge off. Also, use it to clean barbecue grills, car-pet, and clothing stains, grease, and other difficult household cleaning jobs. Not recommended for brass, slate, or aluminum.

Description	Item #	Each
1 gallon case of 4	COP78150	61.76
22 oz. spray bottle case of 12	COP78100	84.13



A.W. Perkins Gas Fireplace Glass GFC Cleaner

AW Perkins' nonabrasive cleaner removes white mineral residue from ceramic glass fireplace doors caused by gas logs. It removes baked-on smoke, soot, carbon and mineral deposits from ceramic glass, stainless steel, chrome, aluminum, ceramic cook tops, and porcelain and tile surfaces. *Not for use on tempered glass.*

Description	Item #	Each
22 oz. spray bottle case of 12	COP81149	94.01



A.W. Perkins Masonry Stone and Brick (MSB) Cleaner

Safe and concentrated to remove smoke, creosote, grease, and soot. Its industrial-strength solvent dissolves buildup and it has a heavy-duty surface cleaner. It does not harm metal, glass, or fiberglass gaskets, and has no dangerous chemicals or acids.

Description	Item #	Each
22 oz. spray bottle case of 12	COP81146	10.73



A.W. Perkins Clean & Condition HearthGlass Creme

Recommended for really tough stains on glass doors. Its lotion-like formula is nontoxic and easy to use. *Do not use for tempered glass, use Klear View.*

Description	Item #	Each
22 oz. spray bottle case of 12	COP81147	79.6



Imperial Stove Polish

Cleans, restores, and protects hearth appliances. It is water soluble and contains natural waxes and carbon pigments. 8 oz., black.

Item #	Each
COP23915	8.76



Clean+ Multi-Purpose Rugged Wipes

Heavy duty, non-marring towels to clean all surfaces. 72 wipes per package.

Item #	Each
COP83125	



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Direct Wire Ionization Smoke Detector, AC/DC

Approved by the FHA, HUD, the NFPA, and the California State Fire Marshal to fit all standard electrical box configurations. Install it in one area or in multiple locations in a home and/or business. If you're installing in multiple locations, there is a limit of 24 units.

Item #	Each
00610108	15.14



Spring-Loaded Hy-C Smoke Guard

This ingenious device cures most smoking problems resulting from a flue sized too small for the fireplace opening. The smoke guard can be used to reduce the height or width of the fireplace, thus reducing the fireplace opening. It is spring-loaded, adjusts from 28½" to 48", and installs without tools.

California Customer See Warning.

Description	Item #	Each
Black 4" wide	COP05000	80.84
Black 6" wide	COP05020	89.18



Chimfex Chimney Fire Extinguisher

Suppresses chimney fires in an average time of just 22 seconds. It is safe, quick, and easy to use. Made in the USA and CSIA accepted.

California Customer See Warning.

Description	Item #	Each
Chimfex	03604175	28.67
Chimfex case of 8	00270657	209.07



WARNING: This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

**COPPERFIELD
CHIMNEY SUPPLY, INC**

600 Sanders Street
Scranton, PA 18505

Locations

- Bridgeport, NJ
- Cleveland, OH
- Reno, NV
- Scranton, PA

Customer Support:

1-800-247-3305 Or 800-569-1425

Technical Support:

800-256-1926 or 844-814-3002

Fax:

800-272-5156 or 866-237-0593

www.copperfield.com

